### SRI LANKA AIR FORCE

### DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA



# BIDDING DOCUMENT [NATIONAL COMPETITIVE BIDDING]

# ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT

TENDER REFERENCE: (AHQ/24/PUB/MT/1004)

### **INVITATION FOR BIDS**

### SRI LANKA AIR FORCE

# ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT

1. The Chairman, Department Procurement Committee (DPC) of the Sri Lanka Air Force invites sealed Bids from eligible and qualified bidders to Engine Overhaul of SLAF MT Vehicles through Annual Contract Basis for Year 2025 at MTR&OW SLAF Kat

S/No	Procurement Identification Number	Description	Date and Time for Pre Bid Meeting	Bid Security Value & Period	Last Date of Issuing of Bidding Documents	Non Refundable Fee (Rs.)	Date and time of Bid closing /
01	AHQ/24/PUB /MT/1004	Engine Overhaul of SLAF MT Vehicles Through Annual Contract Basis for Year 2025 at MTR&OW SLAF Kat	21.11.2024 at 1030 hrs	31 July 2025 Rs. 150,000.00	28.11.2024	3,500.00	29.11. 2024 at 1030 hrs

- 2. Bids will be invited under **National Competitive Bidding (NCB)** method.
- 3. The complete set of Bidding Documents in English language could be inspected by the interested bidders from the <a href="www.airforce.lk">www.airforce.lk</a>, the website of the Sri Lanka Air Force or could inspect free of charge from 04.11.2024 until the last date of issuing of Bidding Documents (Between 0900 hrs to 1500 hrs) by forwarding written requests to the address mentioned at Para 9 below. The Bidding Documents can be purchased from the Tender Section of the Procurement Division, between 0900 hrs to 1500 hrs on every working day with effect from 04.11.2024 after paying the Non-refundable fee indicated against procurement mentioned at para 1 above, to the Shroff at LL2 Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura. The last date of issuing of the Bidding Documents is tabulated in para 01 above. The original receipt obtained from the shroff at Sri Lanka Air Force for the payment of Non-refundable fee is to be attached to the bid. A bid without the receipt for the payment of the Non-refundable fee will be considered as an invalid bid.
- 4. All Interested Bidders who have purchased bidding documents are allowed to visit the Engine Overhaul of SLAF MT Vehicles through Annual Contract Basis for Year 2025 at MTR&OW SLAF KAT. from **04.11.2024** to **28.11.2024** between **0900** hrs to **1500** hrs on every working day.

- 5. The sealed bids in duplicate, shall be addressed to "The Chairman, Departmental Procurement Committee, Sri Lanka Air Force" and may be either dispatched by registered post or deposited in the Tender Box at the Main Guard Room (Western Gate) of Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura well before the closing time. Electronic bidding will not be permitted. Late bids will not be accepted. Bids will be opened at the Bid Opening Room, LL2 Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura, soon after closing the bids.
- 6. Bidders or their authorized representatives will be permitted to be present at the opening of the bids, upon presentation of their National Identity Card and letters of authorization from their employees. No bidder or his representative will be permitted to attend the bid opening after the bid closing time.
- 7. Bidders who have purchased Bidding Documents may participate for the pre-bid meetings scheduled to be held on specific dates tabulated at para 01, at the Bid Opening Room, LL2 Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura.
- 8. All prospective bidders shall submit a bid security either by an irrevocable and unconditional Bid Bond en-cashable upon the first written demand for the value and the period mentioned in above para 1. Bid Security shall be advised through a REPUTED BANK IN SRI LANKA with a counter guarantee and it should be addressed to the "Commander of the Air Force". A sample copy of a bid security guarantee appeared in the Government Procurement Guideline 2006.
- 9. Interested eligible bidders may obtain further information from the Chief Procurement Officer (Tel. 011-2347694) or Staff Officer Procurement (Tenders) (Tel. 011-2495495, 077- 2229073, 076-6723955 Extension 12915 Fax: 011- 2441553) or by forwarding written requests to the address mentioned below;

#### **HAD DIAS**

Group Captain

**Chief Procurement Officer** 

Sri Lanka Air Force Headquarters

P.O Box 594

Defence Headquarters Complex,

Sri Jayewardenapura

Kotte

Tel: 011 2347694

Fax: 011 2347694/2441554

Email: cpd@slaf.gov.lk

### TP SAMADASA

Group Captain

Staff Officer Procurement (Tenders)

Sri Lanka Air Force Headquarters

P.O Box 594

Defence Headquarters Complex,

Sri Jayewardenapura

Kotte

Tel: 011 2441044 (Ex 12915)

Fax: 011 2441553

Email: acpot@slaf.gov.lk

### **HGNJB DAYANANDA**

Squadron Leader

Assistant Staff Officer Procurement (Tenders)

Sri Lanka Air Force Headquarters

P.O Box 594

Defence Headquarters Complex,

Sri Jayewardenapura

Kotte

Tel: 011 2441044 (Ex 12916)

Fax: 011 2441553 Email: acpot@slaf.gov.lk

#### SECTION I – INSTRUCTIONS TO BIDDERS

Bidders are required to go through the following instructions/conditions prior to bidding. Instructions to Bidders (ITB) shall be read in conjunction with the **Volume II**, **Section II** 'Bidding Data' Sheet (BDS).

#### A. General

#### 1. Scope of Bid

- 1.1 The Employer, as defined in the Bidding Data, invites bids for the Services, as described in the Appendix 'A' to the Contract. The name and identification number of the Contract is provided in the Bidding Data.
- 1.2 The successful Bidder will be expected to complete the performance of the Services by the Intended Completion Date provided in the Bidding Data.

# 2. Qualifications and Experience of the Bidder

- 2.1 All bidders shall provide in Section III, Forms of Bid and Qualification and Experience Information, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.
- 2.2 If stated in the Bidding Data, all bidders shall include the following information and documents with their bids in Section III:
  - (a) List of Services performed for each of the last five years;
  - (b) (Intentionally kept blank)
  - (c) Experience in Services of a similar nature for each of the last three years, and details of Services under way or contractually committed; and names and address of clients who may be contacted for further information on those contracts;
  - (d) Work plan and methodology
  - (e) List of major items of equipment proposed to carry out the Contract;
  - (f) Qualifications and experience of key staff proposed for the Contract;
  - (g) Any other if listed in the Bidding Data.

#### 3. Cost of bidding

3.1 The Bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer will in no case be responsible or liable for those costs.

#### 4. Site Visit

4.1 The Bidder, at the Bidder's own responsibility and risk, is encouraged to visit and examine the Site of required Services and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for the Services. The costs of visiting the Site shall be at the Bidder's own expense.

#### **B.** Bidding Documents

5.1 The set of bidding documents comprise the documents listed below:

### 5. Content of Bidding Documents

#### Volume 1

Section I Instructions to Bidders
Section IV Conditions of Contract
Section VIII Forms of Securities

Volume 2

Invitation for Bid

Section II Bidding Data

Section III Forms of bid and Qualification

Information

Section V Contract Data

Section VI Employer's Requirements

Section VII Activity Schedule

# 6. Clarification of Bidding Documents

6.1 A prospective Bidder requiring any clarification of the bidding documents may notify the Employer in writing at the Employer's address indicated in the invitation to bid.

#### **Preparation of Bids**

7. Language of Bid

- 7.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer shall be written in English Language.
- 8. Documents Comprising the Bid
- 8.1 The Bidder shall submit the Bid under two separately sealed envelopes as follows:
  - (a) The first envelope shall be clearly marked "ENVELOPE 1 QUALIFICATION AND EXPERIENCE INFORMATION"; and
  - (b) The second envelope shall be clearly marked "ENVELOPE 2 FINANCIAL BID" and warning "DO NOT OPEN, EXCEPT IN THE PRESENCE OF THE BIDDERS".

C.

- 8.2 The Envelope 1, marked as "QUALIFICATION AND EXPERIENCE INFORMATION" shall include the originals of the following:
  - (i) Volume 1 of the Bidding Document
  - (ii) Bid security if requested
  - (iii) Duly filled 'A' schedules, "Qualification and Experience Information".
  - (iv) Other information listed in Bidding Data; and
  - (v) Any other information, bidder may wish to Include
- 8.3 The Envelope 2, marked as "**FINANCIAL BID**" shall include the originals of the following:
  - (i) Duly filled and signed Bid Submission Form
  - (ii) Duly filled Activity Schedule as described in Bidding Data
  - (iii) Other details as mentioned in Bidding Data
- 8.4 The two envelopes/covers shall then be sealed in an outer Envelope. All inner and outer envelopes/covers shall:
  - a. Be addressed to the Employer at the address provided in the Bidding Data; and
  - b. Bear the name and identification number of the Contract as defined in the Bidding Data.
- 9.1 The Contract shall be for the Services, as described in the Employer's Requirements, Section VI, based on the priced Activity Schedule submitted by the Bidder. Bidder is to full fill the requirement in bidding Data
- 9.2 The Bidder shall fill in rates and prices for all items of the Services described in the in Employer's Requirements, Section VI and listed in the Activity Schedule, Section VII. Items for which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the other rates and prices in the Activity Schedule.
- 9.3 All duties, taxes, and other levies payable by the Service Provider under the Contract, or for any other cause, as of the date 28 days prior to the deadline for submission of bids, shall be included in the total Bid price submitted by the Bidder. However VAT if applicable shall be included separately.

9. Bid Prices

Page 7 of 149

# 10. Currency of Bid and Payment

#### 11. Bid Validity

#### 12. Bid Security

- 10.1 The lump sum price shall be quoted by the Bidder shall be in Sri Lanka Rupees, or as described in the Bidding Data
- 11.1 Bids shall remain valid for the period specified in the Bidding Data.
- 11.2 In exceptional circumstances, the Employer may request that the bidders extend the period of validity for a specified additional period. The request and the bidders' responses shall be made in writing. A Bidder may refuse the request without forfeiting the Bid Security (if submitted). A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security (if submitted) for the period of the extension, and in compliance with Clause 12 in all respects.
- 12.1 If indicated in the Bidding Data, the Bidder shall furnish, as part of the Bid, a Bid Security, in the amount specified in the Bidding Data and valid till the date specified in the Bidding Data.
- 12.2 If a Bid Security is requested under sub-clause 12.1 above, any bid not accompanied by an acceptable Bid Security shall be rejected by the Employer.
- 12.3 The Bid Security of unsuccessful bidders will be returned within 28 days of the end of the Bid validity period specified in Sub-Clause 12.1.
- 12.4 The Bid Security of the successful Bidder will be discharged when the Bidder has signed the Agreement and furnished the required Performance Security (if required).
- 12.5 The Bid Security may be forfeited:
  - (a) If the Bidder withdraws the Bid after Bid opening during the period of Bid validity; or
  - (b) If the Bidder does not accept the correction of the Bid price, pursuant to Clause 22; or
  - (c) In the case of a successful Bidder, if the Bidder fails within the specified time limit to:
    - (i) Sign the Contract; or
    - (ii) Furnish the required Performance Security (if required).

#### 13. Format and Signing of Bid

- 13.1 The Bidder shall prepare one original of the documents comprising the Bid as described in Clause 8 of these Instructions to Bidders.
- 13.2 The original of the Bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Bidder, All pages of the Bid where entries or amendments have been made shall be initialled by the person or persons signing the Bid.
- 13.3 The Bid shall contain no alterations or additions, except those to comply with instructions issued by the Employer, or as necessary to correct errors made by the Bidder, in which case such corrections shall be initialled by the person or persons signing the Bid.

#### D. Submission of Bids

### 14. Sealing and Marking of Bids

- 14.1 The outer envelope prepared in accordance with sub-clause 8.4 shall:
  - a. Be addressed to the Employer at the address provided in the Bidding Data; and
  - b. Bear the name and identification number of the Contract as defined in the Bidding Data; and
  - c. Provide a warning not to open before the specified time and date for Bid opening as defined in the Bidding Data.
- 14.2 In addition to the identification required in Sub-Clause 14.1, the envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened if required.
- 14.3 If the envelope is not sealed and marked as above, the Employer will assume no responsibility for the misplacement or premature opening of the Bid.

# **15.** Deadline for Submission of Bids

- 15.1 Bids shall be delivered to the Employer at the address specified above no later than the time and date specified in the Bidding Data.
- 15.2 Service Recipient may extend the deadline for submission of bids by issuing an amendment, in which case all rights and obligations of the Parties previously

subject to the original deadline will then be subject to the new deadline.

#### 16. Late Bids

16.1 Any Bid received by the Employer after the deadline prescribed in Clause 15 will be returned unopened to the Bidder.

#### E. Bid Opening and Evaluation

#### 17. Bid Opening

- 17.1 The Employer will open the envelope marked, 'Envelope 1 Qualification and Experience', in the presence of Bidders' designated representatives who choose to attend, at the time, date, and location stipulated in the Bidding Data. The Bidders' representatives who are present shall confirm their attendance by signing the attendance sheet.
- 17.2 The Bidders' names, the presence (or absence) of Bid security, the presence (or absence) of the Financial Bid and any such other details as the Employer may consider appropriate, will be announced by the Employer at the opening.
- 17.3 The envelopes marked 'Envelope 2 Financial Bid' will be opened after the completing the evaluation of envelope marked 'Envelope 1 Qualification and Experience', in the manner described in Sub-Clause 21.2
- 18.1 To assist in the examination, evaluation, and comparison of bids, the Employer may, at the Employer's discretion, request any Bidder for clarification of the Bidder's Bid, including breakdowns of the prices in the Activity Schedule, and other information that the Service Recipient may require. The request for clarification and the response shall be in writing, but no change in the price or substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the Service Recipient in the evaluation of the bids in accordance with Clause 22.

# 18. Clarification of Bids

- 19.1 Prior to the detailed evaluation of bids, using the information provided in Envelope 1, the Employer will determine whether each Bid (a) is accompanied by the required securities (if requested); and (b) is substantially responsive to the requirements of the bidding documents.
- 19. Examination of Bids and Determination of Responsiveness
- 19.2 A substantially responsive Bid is one which conforms to all the terms, conditions, and Employer's requirements of the bidding documents, without material deviation or reservation. A material deviation or reservation is one (a)

which affects in any substantial way the scope, quality, or performance of the Services; (b) which limits in any substantial way, inconsistent with the bidding documents, the Employer's rights or the Bidder's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

19.3 If a Bid is not substantially responsive, it will be rejected by the Employer, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation.

# **20.** Evaluation of Qualification and Experience

- 20.1 The Employer will evaluate and compare only the Bids determined to be substantially responsive in accordance with Clause 19.
- 20.2 A two-stage procedure will be adopted in detailed evaluation of substantial responsive Bids. The evaluation of Qualifications and Experience will be completed prior to any financial bid being opened. The Employer evaluates the Envelope 1 Qualifications and Experience on the basis of their responsiveness to the Employer's Requirements, applying the evaluation criteria, and point system specified in Sub-Clause 20.3 or any other method as applicable to the present tender mentioned in Bidding Data.
- 20.3 During the evaluation of Envelope 1 for Qualifications and Experience, the Employer will determine whether the Bidders are qualified and whether the work plan and methodology are substantially responsive to the requirements and work scope set forth in the Bidding Document. In order to reach such a determination, the Employer will examine the information supplied by the Bidders, and other requirements in the Bidding Document, taking into account the factors and point system outlined in the Bidding Data or any other method as applicable to the present tender mentioned in Bidding Data.
- 20.4 Each substantial responsive bid will be given a score as described under sub-clause 20.3. A Bid shall be rejected at this stage if it does not respond to important aspects of the Employer's Requirements or if it fails to achieve an overall minimum of 70 points together with the minimum given against each criterion. Refer bidding Data for the applicability.

#### 21. Evaluation of Financial Bid

21.1 After the evaluation of Envelope 1 is completed, the Employer shall notify those Bidders whose qualification and experience did not meet the minimum qualifying marks or

were considered nonresponsive to the Employer's Requirements, indicating that their envelope marked 'Envelope 2 – Financial Bid' will be returned unopened after completing the selection process. The Employer shall simultaneously notify the Bidders that have secured the minimum qualifying marks, indicating the date and time set for opening the envelope marked 'Envelope 2 - Financial Bid'. The notification may be sent by registered letter, or facsimile.

- 21.2 The Envelope 2 shall be opened publicly in the presence of the Bidders representatives who choose to attend. The name of the bidder, the Bid prices together with any discounts offered shall be read aloud and recorded when the envelopes marked 'Envelope 2 Financial Bid' are opened.
- 21.3 Before evaluating the Financial Bid, the Service Recipient will determine whether the Bid is signed properly. If the Bid is not signed properly it will be rejected at this stage.
- 21.4 In evaluating the Financial Bid, the Employer will determine for each Bid the Evaluated Bid Price by adjusting the Bid Price as follows:
  - (a.) Excluding Provisional Sums and the provision, if any;
  - (b.) Correcting the arithmetical errors in-pursuant to Clause 22
  - (c.) Making an appropriate adjustment on sound technical and/or financial grounds for any other quantifiable acceptable variations, Deviations or alternative offers.
  - (d.) Applying any discounts offered by the Bidder.
- 21.5 The Employer reserves the r i ght to accept or reject any variation, deviation, or alternative offer. Variations, deviations, alternative offers, and other factors that are in excess of the requirements of the Bidding document shall not be taken into account in Bid evaluation.
- 22.1 Bids determined to be substantially responsive will be checked by the Employer for any arithmetic errors. Arithmetical errors will be rectified by the Employer on the following basis: if there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected; if there is a discrepancy between the amounts in figures and in words, the amount in words will prevail.

22. Correction of Errors

Page **12** of **149** 

22.2 The amount stated in the Bid will be adjusted by the Employer in accordance with the above procedure for the correction of errors and, with the concurrence of the Bidder, shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, the Bid will be rejected, and the Bid Security may be forfeited in accordance with Sub-Clause 12.5.

#### F. Award of Contract

#### 23. Award Criteria

23.1 Subject to Clause 24, the Employer will award the Contract to the Bidder whose Bid has been determined to be substantially responsive to the bidding documents and who has offered the lowest evaluated Bid price.

# 24. Employer's Right to Accept any Bid and to Reject any or all Bids

24.1 Notwithstanding Clause 23, the Employer reserves the right to accept or reject any Bid, and to cancel the bidding process and reject all bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Employer's action.

# 25. Notification of Award and Signing of Agreement

- 25.1 The Bidder who's Bid has been accepted will be notified in writing, of the award by the Employer prior to expiration of the Bid validity period. This letter (hereinafter and in the Conditions of Contract called the "Letter of Acceptance") will state the sum that the Employer will pay the Service Provider in consideration of the Services provided by the Service provider as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").
- 25.2 The notification of award will constitute the formation of the Contract.
- 25.3 The Contract, in the form provided in the bidding documents, will incorporate all agreements between the Employer and the successful Bidder.

# **26.** Performance Security

26.1 If requested in the Bidding Data, within 14 days after receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer a Performance Security in the amount and in the form (Bank Guarantee and/or Performance Bond) stipulated in the Bidding Data, denominated in the type and proportions of currencies in the Letter of Acceptance and in accordance with the General Conditions of Contract..

# 27. Advance Payment and Security

27.1 The Employer may provide an Advance Payment not exceeding 20% of the Contract Price subject to the Service Provider submitting a guarantee acceptable to the Employer, or as stipulated in the Bidding Data

-Signed(HAD DIAS)
Group Captain
CHIEF PROCUREMENT OFFICER

04 November 2024

### **SECTION II – BIDDING DATA**

### **Instructions to Bidders (ITB) Clause Reference**

ITB 1.1	The Service Recipient is Sri Lanka Air Force on behalf of Democratic Socialist Republic of Sri Lanka.				
	The name and identification number of the Contract is "ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT" - AHQ/24/PUB/MT/1004.				
ITB 1.2	The Service shall be provided to <b>one year</b> from the date of signing the agreement, as per				
	clause 2.2 of Contract Data in Section V.				
ITB 2.2	The information required from bidders in Sub-Clause 2.2 is:				
	(a) List of Services performed last five years;				
	(b) Experience in Services of a similar nature last three years, and details of	of Services			
	under way or contractually committed; and names and address of clients w				
	contacted for further information on those contracts;	•			
	(c) Work plan and methodology.				
	(d) Qualifications and experience of key staff proposed for the Contract				
	(e) Any other if listed in the Bidding Data				
	(f) A copy of company registration certificate.				
	(g) Self undertaking stating the ability to perform the contract without	t financial			
	hindrance. {This shall be supported by audited financial statements of the co	ompany for			
	last three years. (2021-2023)}				
	(h) VAT Registration certificate or VAT exemption letter issued by the Inland Revenue department.				
ITB 4.1	Not Applicable for this Tender				
ITB 5.1	Invitation for Bid				
	Section I Instructions to Bidders				
	Section II Bidding Data				
	Section III Forms of bid and Qualification Information				
	Section IV Conditions of Contract				
	Section V Contract Data  Section VI Contract Data  Section VI Contract Data				
	Section VI Service Recipient's Requirements Section VII Activity Schedule				
	Section VIII Forms of Securities				
ITB 6.1					
	Attention : Chief Procurement Officer				
	Address: Sri Lanka Air Force headquarters, P.O Box 594, Defence Headquarters				
	Complex, Sri Jayewardenepura, Kotte				
	Telephone: 0112347694	Telephone: 0112347694			
	Facsimile number: 0112441553				

	Electronic mail address: <u>cpo@slaf.gov.lk</u>				
ITB 7.1	Applicable.				
ITB 8.1	Bid documents to be forwarded in two envelope method as follows;				
	a. The bidder shall submit the bids in Two (02) separate sealed envelopes namely " <b>Technical Data</b> " and " <b>Financial Data</b> ". These Two envelopes shall be placed in separate one (01) sealed outer envelope marked " <b>ORIGINAL BID</b> ".				
	b. The bidder shall submit the bids in Two (02) separate sealed envelopes namely "Duplicate-Technical Data" and "Duplicate - Financial Data". These Two envelopes shall be placed in separate one (01) sealed outer envelope marked "DUPLICATE BID".				
	c. Should bear following identification marking in the above envelopes				
	i. Tender reference:- AHQ/24/PUB/MT/1004  ii. Bid opening date:				
ITB 8.2	Applicable.				
ITB 8.3	Applicable.				
ITB 8.4	(a) The address for submission of Bids is:  To; Chief Procurement Officer Address; Sri Lanka Air Force headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura, Kotte Telephone; 0112347694  (b) The name and identification number of the Contract is ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT AHQ/24/PUB/MT/1004				

ITB 9.1	As per Section VI and Section VII (activity schedule).				
ITB 9.2	As per Section VI, Section VII (activity schedule) and Section VIII.				
ITB 9.3	As per Section VII (activity schedule).				
ITB 10.1	Shall be quoted as per Section VII (activity schedule) Minimum 45 days of credit period is required.				
ITB 11.1	The Bid shall valid until 31st December 2025.				
ITB 12.1	a. Bid security shall be in the format of Bank Guarantee.				
	b. Bid security shall be issued by <b>any of the Commercial Banks approved by the</b>				
	Central Bank of Sri Lanka.				
	c. Bid security shall be in accordance with the format given in section VIII.				
	d. The Amount of the Bid security shall be <b>Rs. 150,000.00 One Hundred Fifty</b>				
	Thousand Only and shall be in Sri Lanka Rupees.				
	e. The validity period of the Bid Security Shall be until 31 July 2025.				
	f. The beneficiary of the bid security shall be address to the <b>Commander of the Sri</b>				
	Lanka Air Force				
ITB 12.2	Applicable.				
ITB 12.3	Applicable.				
ITB 12.4	Applicable.				
ITB 12.5					
ITB 14.1	(a) The address for submission of Bids is:				
	To; Chief Procurement Officer				
	Address; Sri Lanka Air Force headquarters, P.O Box 594, Defence				
	Headquarters Complex, Sri Jayewardenepura, Kotte				
	Telephone; 0112347694 (b) The name and identification number of the Contract is " is <b>ENGINE</b>				
	OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT				
	BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT AHQ/24/PUB/MT/1004				
	(c) Bid will be opened immediately after the closing of bids at the time and date				
	given in the invitation for bids.				
ITB 14.2	Annlinghia				
	Additional				
ITB 14.3	Applicable. Applicable.				

ITB 15.1	a. The deadline for the submission of Bids:				
	Date: 2024 Time: 1030hrs				
	b. A BIDDER may withdraw, or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 14, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB Sub-Clause 13.2, (except that no copies of the withdrawal notice are required). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be:				
	(a) Submitted in accordance with ITB Clauses 13 and 14 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," or "MODIFICATION;" and				
	(b) Received by the Service Recipient prior to the deadline prescribed for submission of bids, in accordance with ITB Clause 15.				
	c. Bids requested to be withdrawn shall be returned to the BIDDERs only upon notification of contract award to the successful BIDDER in accordance with sub clause 25.1.				
	d. No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the BIDDER on the Bid Submission Form or any extension thereof.				
ITB 16.1	Not applicable.				
ITB 17.1	The bid opening shall take place at :				
	Address: Sri Lanka Air Force headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura, Kotte Date: 2024				
	Time: 1030hrs				
ITB 17.2	Applicable.				
ITB 17.3	Applicable.				
ITB 18.1	Applicable.				

ITB 19.1	Applicable.
ITB 19.2	Applicable.
ITB 19.3	Applicable.
ITB 20.1	Applicable.
ITB 20.2	Applicable.
ITB 20.3	Points score system is not applicable.
ITB 21.1	Applicable.
ITB 21.2	Applicable.
ITB 21.3	Applicable.
ITB 21.4	Applicable.
ITB 21.5	Alternative bids/offers are not accepted.
ITB 22.1	Applicable.
ITB 22.2	Applicable.
ITB 23.1	Applicable.
ITB 24.1	Applicable.
ITB 26.1	The successful bidder shall be submitted a <u>Performance Security</u> in the format of Bank guarantee issued by any of the <u>Commercial Banks in Sri Lanka</u> within seven (07) days in accordance with the format and amount state in the Letter of Award.
ITB 27.1	Advance Payments are Not applicable for this tender.

# SECTION III – FORMS OF BID, QUALIFICATION INFORMATION, LETTER OF ACCEPTANCE, AND CONTRACT

### Form of Bid

[Date]

To: Commander of the Air Force
Having examined the bidding documents, we offer to provide the Services for "ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT" AHQ/24/PUB/MT/1004 of Contract, Employer's (Service Recipient's) Requirements, drawings and activity schedule accompanying this Bid for the Contract Price of [amount in words].
or any other sum derived in accordance with the said documents.
This Bid and your written acceptance of it shall constitute a binding Contract between us. We understand that you are not bound to accept the lowest or any Bid you receive.
We hereby confirm that this Bid complies with the Bid validity required by the bidding documents and specified in the Bidding Data.
Authorized Signature:
Name and Title of Signatory:
Name of Bidder:
Address:

### **Qualification Information**

# Schedule A – Experience in Engine Overhaul of Vehicles during last Five years.

(Enclosed in envelope marked, "Envelope 1 – Qualification and Experience Information)

Period (Year)	Employer	Description of Work	Contract Amount	Completed (%) of Contractor's Responsibility

Schedule B – Work Plan and Methodology  [If requested under Instructions to Bidders (ITB) clause 20.3 only]  (Enclosed in envelope marked, "Envelope 1 – Qualification and Experience Information")				
(Enclosed in chivelop	e marked, Envelope 1 – Quanneation and Experience	ce information )		
	Sheet	1 of		
		1		
	Should respond to all the requirements given in the Service Recipient's Requirements in Section VI			
	Service Recipient's Requirements in Section VI			

### Schedule C – Key Staff

[If requested under ITB clause 20.3 only]

(enclosed in envelope marked, "Envelope 1 – Qualification and Experience Information)

Name	Position	Task

### Schedule E – Client's Reference

[If requested under ITB clause 20.3 only]

(enclosed in envelope marked, "Envelope 1 – Qualification and Experience Information)

ATTACH THE CERTIFICATES GIVEN BY THE CLIENT'S, MAKING REFERENCES ON THE SERVICES EXECUTED BY BIDDER

### Schedule F – Annual Turn-over Information

(for last five years)

(enclosed in envelope marked, "Envelope 1 – Preliminary Information)

Year	Turn-over	Remarks
1		
2		Attach audited reports
3		(for last five years)
4		
5		

**LETTER OF ACCEPTANCE**[Letterhead paper of the Employer (Service Recipient)]

ĮL	patej
To: [name and address of the Service provider]	
This is to notify you that your Bid dated [date]/24 for providing service OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT 2025 AT MTR&OW SLAF KAT" AHQ/24/PUB/MT/1004. for the Contract numbers and words]	BASIS FOR YEAR Price of [amount in
as corrected and modified in accordance with the Instructions to Bidders is hereby ac	
You are hereby instructed to proceed with the execution of the said contract for the in accordance with the Contract documents.	provision of Services
Authorized Signature:	
Name and Title of Signatory:	
Name of Agency:	

#### FORM OF CONTRACT

This CONTRACT (hereinafter called the "Contract") is made the [day] day of the month of [m onth], [year], between, on the one hand, [name of Employer] (hereinafter called the "Employer") and, on the other hand, [name of Service Provider] (hereinafter called the "Service Provider").

#### WHEREAS

- (a) the Employer has requested the Service Provider to provide certain Services as defined in the Conditions of Contract and Contract Data attached to this Contract (hereinafter called the "Services");
- (b) the Service Provider, having represented to the Employer that they have the required skills, and personnel and resources, have agreed to provide the Services on the terms and conditions set forth in this Contract at a contract price of ......;

NOW THEREFORE the parties hereto hereby agree as follows:

- 1. The following documents attached hereto shall be deemed to form an integral part of this Contract:
  - (a) The Conditions of Contract;
  - (b) The Contract Data;
  - (c) The Form of Bid
  - (d) The Priced Activity Schedule
  - (e) The Employer's Requirements
  - (f) The following Appendices: [Note: If any of these Appendices are not used, the words "Not Used" should be inserted below next to the title of the Appendix and on the sheet attached hereto carrying the title of that Appendix.]

Appendix A: Description of the Services

Appendix B: Schedule of Payments

Appendix C: Key Personnel

Appendix D: Breakdown of Contract Price

Appendix E: Services and Facilities Provided by the Employer

- 2. The mutual rights and obligations of the Employer and the Service Provider shall be as set forth in the Contract, in particular:
  - (a) The Service Provider shall carry out the Services in accordance with the provisions of the Contract; and
  - (b) the Employer shall make payments to the Service Provider in accordance with the provisions of the Contract.

IN WITNESS WHEREOF, the Parties hereto have caused this Contract to be signed in their respective names as of the day and year first above written.

For and on behalf of [name of Employer]		
[Authorized Representative] For and on behalf of [name of Service Provider]		
[Authorized Representative]	—	

#### SECTION IV – CONDITIONS OF CONTRACT

#### 1. GENERAL PROVISIONS

#### 1.1 Definitions

Unless the context otherwise requires, the following terms whenever used in this Contract have the following meanings:

- (a) "Activity Schedule" is the priced and completed list of items of Services to be performed by the Service Provider forming part of his Bid;
- (b) "Completion Date" means the date of completion of the Services by the Service Provider as certified by the Service Recipient
- (c) "Contract" means the Contract signed by the Parties, to which these Conditions of Contract (CC) are attached, together with all the documents listed in Clause 1 of such signed Contract;
- (d) "Contract Price" means the price to be paid for the performance of the Services, in accordance with Clause 6;
- (e) "Service Recipient" means the party who employs the Service Provider
- (f) "Party" means the Service Recipient or the Service Provider, as the case may be, and "Parties" means both of them;
- (g) "Personnel" means persons hired by the Service Provider as employees and assigned to the performance of the Services or any part thereof;
- (h) "Service Provider" is a person or corporate body whose Bid to provide the Services has been accepted by the Service Recipient;
- (i) "Service Provider's Bid" means the completed bidding document submitted by the Service Provider to the Service Recipient
- (j) "Service Recipient's Requirements" means the Service Recipient's Requirements of the service included in the bidding document submitted by the Service Provider to the Service Recipient
- (k) "Services" means the work to be performed by the Service Provider pursuant to this Contract, as described in Appendix A; and in the Service Recipient's Requirements and Schedule of Activities included in the Service Provider's Bid.

### 1.2 Applicable

Law

The Contract shall be interpreted in accordance with the laws of the

Democratic Socialist Republic of Sri Lanka

#### 1.3 Language

This Contract has been executed in English Language

#### 1.4 Notices

Any notice, request, or consent made pursuant to this Contract shall be in writing and shall be deemed to have been made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, to such Party at the address specified in the Contract Data.

#### 1.5 Location

The Services shall be performed at such locations as are specified in Appendix A, in the Service Recipient's Requirements and, where the location of a particular task is not so specified, at such locations, as the Service Recipient may approve.

# 1.6 Authorized Representatives

Any action required or permitted to be taken, and any document required or permitted to be executed, under this Contract by the Service Recipient or the Service Provider may be taken or executed by the officials specified in the Contract Data.

# 2. COMMENCEMENT, COMPLETION, MODIFICATION AND TERMINATION OF CONTRACT

### 2.1 Effectiveness of Contract

This Contract shall come into effect on the date the Contract is signed by either parties or such other later date as may be stated in the Contract Data.

#### 2.2 Starting Date

The Service Provider shall start carrying out the Services seven (07) days after the date the Contract becomes effective, or at such other date as may be specified in the Contract Data.

# 2.3 Intended Completion Date

Unless terminated earlier pursuant to Clause 2.6, the Service Provider shall complete the activities by the Intended Completion Date, as is specified in the Contract Data. If the Service Provider does not complete the activities by the Intended Completion Date, it shall be liable to pay liquidated damage as per Sub-Clause 3.8. In this case, the Completion Date will be the date of completion of all activities.

(Intentionally Kept Blank)

### 2.5 Force Majeure

#### 2.5.1 Definition

For the purposes of this Contract, "Force Majeure" means an event which is beyond the reasonable control of a Party and which makes a Party's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances.

## 2.5.2 No Breach Of Contract

The failure of a Party to fulfil any of its obligations under the contract shall not be considered to be a breach of, or default under, this Contract insofar as such inability arises from an event of Force Majeure, provided that the Party affected by such an event (a) has taken all reasonable precautions, due care and reasonable alternative measures in order to carry out the terms and conditions of this Contract, and (b) has informed the other Party as soon as possible about the occurrence of such an event.

## 2.5.3 Extension of Time

Any period within which a Party shall, pursuant to this Contract, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

#### 2.5.4 Payments

During the period of their inability to perform the Services as a result of an event of Force Majeure, the Service Provider shall be entitled to continue to be paid under the terms of this Contract, as well as to be reimbursed for additional costs reasonably and necessarily incurred by them during such period for the purposes of the Services and in reactivating the Service after the end of such period.

#### 2.6 Termination

# 2.6.1 By the Service Recipient

The Service Recipient may terminate this Contract, by not less than thirty (30) days' written notice of termination to the Service Provider, to be given after the occurrence of any of the events specified in paragraphs (a) through (e) of this Clause 2.6.1 and sixty (60) days' in the case of the event referred to in (f):

- (a) if the Service Providers do not remedy a failure in the performance of their obligations under the Contract, within thirty (30) days after being notified or within any further period as the Service Recipient may have subsequently approved in writing;
- (b) if the Service Provider become insolvent or bankrupt;
- (c) if, as the result of Force Majeure, the Service Provider/s are unable to perform a material portion of the Services for a period of not less than sixty (60) days; or
- (d) if the Service Provider does not maintain a Performance Security in accordance with Clause 3.9;
- (e) if the Service Provider has delayed the completion of the Services by the number of days for which the maximum amount of 1 i quidated damages can be paid in accordance with Sub-Clause 3.8.1 and the Contract Data.;
- (f) if the Service Recipient, in its sole discretion, decides to terminate this Contract.

## 2.6.2 By the Service Provider

The Service Provider may terminate this Contract, by not less than thirty (30) days' written notice to the Service Recipient, such notice to be given after the occurrence of any of the events specified in paragraphs (a) and (b) of this Clause 2.6.2:

- (a) if the Service Recipient fails to pay any monies due to the Service Provider pursuant to this Contract and not subject to dispute pursuant to Clause 7 within forty-two (42) days after receiving written notice from the Service Provider that such payment is overdue; or
- (b) if, as the result of Force Majeure, the Service Providers are unable to perform a material portion of the Services for a period of not less than fifty six (56) days.

# 2.6.3 Payment Upon Termination

Upon termination of this Contract pursuant to Clauses 2.6.1 or 2.6.2, the Service Recipient shall make the following payments to the Service Provider:

- (a) remuneration pursuant to Clause 6 for Services satisfactorily performed prior to the effective date of termination;
- (b) except in the case of termination pursuant to paragraphs (a), (b), (d), (e) of Clause 2.6.1, reimbursement of any reasonable cost incident to the prompt and orderly termination of the Contract

### 3. Obligations of the Service Provider

#### 3.1 General

The Service Providers shall perform the Services in accordance with the Service Recipient's Requirements and the Activity Schedule, and carry out their obligations with all due diligence, efficiency, and economy, in accordance with generally accepted professional techniques and practices, and shall observe sound management practices, and employ appropriate advanced technology and safe methods. The Service Providers shall always act, in respect of any mater relating to this Contract or to the Services, as faithful advisers to the Service Recipient, and shall at all times support and safeguard the Service Recipient's legitimate interests in any dealings with Subcontractors or third parties. (Intentionally Kept Blank)

#### 3.3 Confidentiality

The Service Providers, their Subcontractors, and the Personnel of either of them shall not, either during the term or within two (2) years after the expiration of this Contract, disclose any proprietary or confidential information relating to the Project, the Services, this Contract, or the Service Recipient's business or operations without the prior written consent of the Service Recipient

### 3.5 Service Providers' Actions Requiring Service Recipient's Prior Approval

The Service Providers shall obtain the Service Recipient's prior approval in writing before taking any of the following actions:

- (a) entering into a subcontract for the performance of any part of the Services,
- (b) appointing such members of the Personnel not listed by name in Appendix C ("Key Personnel and Subcontractors"),
- (c) changing the Program of activities; and
- (d) any other action that may be specified in the Contract Data

# 3.6 Reporting Obligations

The Service Providers shall submit to the Service Recipient the reports and documents specified in Appendix B in the form, in the numbers, and within the periods set forth in the said Appendix.

3.7 Documents
Prepared by the
Service Providers
to Be the Property
of the Service
Recipient

All plans, drawings, Service Recipient's Requirements, designs, reports, and other documents and software submitted by the Service Providers in accordance with Clause 3.6 shall become and remain the property of the Service Recipient, and the Service Providers shall, not later than upon termination or expiration of this Contract, deliver all such documents and software to the Service Recipient, together with a detailed inventory thereof. The Service Providers may retain a copy of such documents and software. Restrictions about the future use of these documents, if any, shall be specified in the Contract Data.

## 3.8 Liquidated Damages

# 3.8.1 Payments of Liquidated Damages

The Service Provider shall pay liquidated damages to the Service Recipient at the rate per day stated in the Contract Data for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the Contract Data. The Service Recipient may deduct liquidated damages from payments due to the Service Provider. Payment of liquidated damages shall not affect the Service Provider's liabilities.

### 3.8.2 Correction for Over-payment

If the Intended Completion Date is extended after liquidated damages have been paid, the Service Recipient shall correct any overpayment of liquidated damages by the Service Provider by adjusting the next payment certificate. The Service Provider shall be paid interest on the over-payment, calculated from the date of payment to the date of repayment, at the rates specified in Clause 6.5

# 3.9 Performance Security

The Service Provider shall provide the Performance Security to the Service Recipient no later than the date specified in the Letter of acceptance. The Performance Security shall be issued in an amount and form and by a bank or surety acceptable to the Service Recipient. The performance Security shall be valid until a date 28 days from the Completion Date of the Contract. Further details as stated in the Contract Data

#### 4. Service Provider's Personnel

## **4.1 Description of Personnel**

The titles, agreed job descriptions, minimum qualifications, and estimated periods of engagement in the carrying out of the Services of the Service Provider's Key Personnel are described in Appendix C. The Key Personnel and Subcontractors listed by title as well as by name in Appendix C are hereby approved by the Service Recipient

### 4.2 Removal and/or Replacement of Personnel

- (a) Except as the Service Recipient may otherwise agree, no changes shall be made in the Key Personnel. If, for any reason beyond the reasonable control of the Service Provider, it becomes necessary to replace any of the Key Personnel, the Service Provider shall provide as a replacement a person of equivalent or better qualifications.
- (b) If the Service Recipient finds that any of the Personnel have (i) committed serious misconduct or have been charged with having committed a criminal action, or (ii) have reasonable cause to be dissatisfied with the performance of any of the Personnel, then the Service Provider shall, at the Service Recipient's written request specifying the grounds thereof, provide as a replacement a person with qualifications and experience acceptable to the Service Recipient.
- (c) The Service Provider shall have no claim for additional costs arising out of or incidental to any removal and/or replacement of Personnel.

### 5. Obligations of the Service Recipient

# **5.1 Assistance** and Exemptions

The Service Recipient shall use its best efforts to ensure that the Government shall provide the Service Provider such assistance and exemptions as specified in the Contract Data

# 5.2 Change in the Applicable Law

If, after the date of this Contract, there is any change in the Applicable Law with respect to taxes and duties which increases or decreases the cost of the Services rendered by the Service Provider, then the remuneration and reimbursable expenses otherwise payable to the Service Provider under this Contract shall be increased or decreased accordingly by agreement between the Parties, and corresponding adjustments shall be made to the amounts referred to in Clauses 6.2 (a) or (b), as the case may be

### **5.3 Services and Facilities**

The Service Recipient shall make available to the Service Provider the Services and Facilities listed under Appendix D

#### 6. Payments to the Service Provider

## **6.1 Lump-Sum** Remuneration

The Service Provider's remuneration shall not exceed the Contract Price and shall be a fixed lump-sum including all Subcontractors' costs, and all other costs incurred by the Service Providers in carrying out the Services described in Appendix A. Except as provided in Clause 5.2, the

Contract Price may only be increased above the amounts stated in Clause 6.2 if the Parties have agreed to additional payments in accordance with Clauses 2.5.4 and 6.3

### **6.2 Contract Price**

The Contract Price is set forth in the Contract Data.

### 6.3 Payment for Additional Services, and Performance Incentive Compensation

For the purpose of determining the remuneration due for additional Services as may be agreed under Clause 2.5.4, a breakdown of the lump-sum price is provided in Appendices D.

# 6.4 Terms and Conditions of Payment

Payments will be made to the Service Provider and according to the payment schedule stated in the Contract Data. Unless otherwise stated in, the Contract Data, first payment shall be made against the provision by the Service Provider of a bank guarantee for the same amount, and shall be valid for the period stated in the Contract Data. Any other payment shall be made after the conditions listed in the SCC for such payment have been met, and the Service Provider have submitted an invoice to the Service Recipient specifying the amount due.

# 6.5 Interest on Delayed Payments

If the Service Recipient has delayed payments beyond fifteen (15) days after the due date stated in the Contract Data, interest shall be paid to the Service Provider for each day of delay at the rate stated in the Contract Data

### 7. Quality Control

# 7.1 Identifying Defects

The Service Recipient shall check the Service Provider's performance and notify him of any Defects that are found. Such checking shall not affect the Service Provider's responsibilities

### 7.2 Correction of Defects, and Lack of Performance Penalty

- (a) The Service Recipient shall give notice to the Service Provider of any Defects before the end of the Contract. The Defects liability period shall be extended for as long as Defects remain to be corrected.
- (b) Every time notice a Defect is given, the Service Provider shall correct the notified Defect within the length of time specified by the Service Recipient's notice. Details as stated in Contract Data.
- (c) If the Service Provider has not corrected a Defect within the time specified in the Service Recipient's notice, the Service Recipient will assess the cost of having the Defect corrected, the Service Provider will pay this amount, and a Penalty for Lack of Performance calculated as described in clause 3.8

### 8. Settlement of Disputes

## 8.1 Amicable Settlement

The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with this Contract or its interpretation.

## 8.2 Dispute Settlement

- 8.2.1 Any dispute arises between the Service Recipient and the Service Provider in connection with, or arising out of, the Contract or the provision of the Services, whether during carrying out the Services or after their completion, which was not settled amicably in as with clause 8.1 above, shall be finally settled by arbitration in accordance with Arbitration Act No 11 of 1995
- 8.2.2 The arbitral tribunal shall consist of a sole arbitrator, who shall be appointed in the manner provided under sub clause 8.2.3
- 8.2.3 The Party desiring arbitration shall nominate three arbitrators out of which one to be selected by the other Party within 21 Days of the receipt of such nomination. If the other Party does not select one to serve as Arbitrator within the stipulated period, then the Arbitrator shall be appointed in accordance with Arbitration Act No 11 of 1995, or any other amendments thereof.

### SECTION V. CONTRACT DATA

Clauses in	brackets are optional; all notes should be deleted in final text.
Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
1.1(e)	The contract name is [name of Contract].
1.1(h)	The Employer is [insert name]
1.1(m)	The Member in Charge is [name of Member Leader of the Joint Venture].
1.1(p)	The Service Provider is [insert name]
1.4	The addresses are:
	Employer: Attention: Telex: Facsimile:
	Service Provider: Attention: Telex: Facsimile:
1.6	The Authorized Representatives are: For the Employer:
	For the Service Provider:
2.1	The date on which this Contract shall come into effect is [date].
	[ Note: The date may be specified by reference to conditions of effectiveness of the Contract, such as approval of the Contract by the Bank, effectiveness of Bank Loan/IDA Credit, receipt by Service Provider of advance payment and by Employer of bank guarantee (see Clause 6.4), etc.]
2.2.1	The Starting Date for the commencement of Services is [date].]
2.3	The Intended Completion Date is [date].
3.5(d)	[Note: Delete where not applicable].
	The other actions are]
3.8	The liquidated damages rate is [insert percentage of Contract price. Usually liquidated

Damages are set between 0.05 percent and 0.10 percent per day] per day

The maximum amount of liquidated damages for the whole contract is [insert percentage of Contract price. Usually the total amount is not to exceed between 5 percent to 10 percent of the Contract Price] percent of the final Contract Price.

The percentage [of the cost of having a Defect corrected ] to be used for the calculation of Lack of performance Penalty/(ies) is [ insert percentage]

The Defects Liability Period is [insert definition of /end date].

- [Note: List here any assistance or exemptions that the Employer may provide under Clause 5.1. If there is no such assistance or exemptions, state "not applicable]."
- 6.2(a) The amount is [insert amount].
- 6.4 Payments shall be made according to the following schedule:

[Note: (a) the following installments are indicative only; (b) "commencement date" may be replaced with "date of effectiveness;" and (c) if applicable, detail further the nature of the report evidencing performance, as may be required].

- Advance for Mobilization, Materials and Supplies: percent of the Contract Price shall be paid on the commencement date against the submission of a bank guarantee for the same.
- Progress payments in accordance with the milestones established as follows, subject to certification by the Employer, that the Services have been rendered satisfactorily, pursuant to the performance indicators:

(indicate milestone and/or percentage)
(indicate milestone and/or percentage)
(indicate milestone and/or percentage)

Should the certification not be provided, or refused in writing by the employer within one month of the date of the milestone, or of the date of receipt of the corresponding invoice, the certification will be deemed to have been provided, and the progress payment will be released at such date.

- The amortization of the Advance mentioned above shall commence when the progress payments have reached 25% of the contract price and be completed when the progress payments have reached 75%.
- The bank guarantee shall be released when the total payments reach fifty (75%) percent of the lump-sum amount.

[Note: This sample clause should be specifically drafted for each contract].

Payment shall be made within [28] days of receipt of the invoice and the relevant documents specified in Clause 6.4, and within [56] days in the case of the final payment. The interest rate is [rate].

#### **APPENDIES**

### **Appendix A** — **Description of the Services**

Give detailed descriptions of the Services to be provided, dates for completion of various tasks, place of performance for different tasks, specific tasks to be approved by Employer, etc.

### **Appendix B** — Schedule of Payments and Reporting Requirements

List all milestones for payments and list the format, frequency, and contents of reports or products to be delivered; persons to receive them; dates of submission; etc. If no reports are to be submitted, state here "Not applicable."

### **Appendix C** — **Key Personnel**

List under: C-1 Titles [and names, if already available], detailed job descriptions and minimum qualifications of Personnel to be assigned to, and staff-months for each.

Appendix D — Services and Facilities Provided by the Employer

#### **SECTION VI – SERVICE RECIPIENT'S REQUIREMENTS**

### SPECIFICATION FOR THE ENGINE OVERHAUL OF SLAF MT VEHICLES THROUGH ANNUAL CONTRACT BASIS FOR YEAR 2025 AT MTR&OW SLAF KAT

### 01. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D56 TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each ar	nd ever	y		
	components	•	,		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Balance shaft bush to be refitted				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired				
5	CAM SHAFT				
	Cam end collar to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump and injectors servicing or	repair v	vith		
	necessary parts				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engin	ne			
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		

Crank shaft thrust plate	Set	1	
Overhaul gasket kit complete	Ea	1	
Spigot bearing	Ea	1	
Timing belt (A)	Ea	1	
Timing belt adjuster (A)	Ea	1	
Timing belt (B)	Ea	1	
Timing belt adjuster (B)	Ea	1	
Oil pump	Ea	1	
Water pump complete	Ea	1	
Crank oil seal (front & rear)	Ea	2	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	1	
Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
Valve adjusting screw with tip	Set	1	
Oil cap	Ea	1	
Cam oil seal	Ea	1	
Balance shaft oil seal	Ea	2	
Balance shaft bush	Ea	2	
Power steering belt	Ea	1	
Ac belt	Ea	1	
Sealant tube	Ea	1	
Sub Total	•	<u> </u>	
VAT			
Grade Total			

### 02. WORK SCOPE FOR THE ENGINE OVERHAUL OF BOLERO JEEP / SINGLE CAB TURBO

S/NO	DESCRIPTION		<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & re	ear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin bush to be refitted				
7	INJECTOR PUMP				
	Injector pump servicing or repair with nec	essary	parts		
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine	<b>)</b>			
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear)	Ea	2		
	Oil filter	Ea	1		
	Timing chain	Ea	1		

Timing chain adjuster	Ea	1		
Timing chain guard	Ea	2		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Power steering belt	Ea	1		
Valve oil seal	Set	1		
Alternator belt	Ea	1		
Sealant tube	Ea	1		
Sub Total		·		
Vat				-
Grand Total		·	•	

### 03.WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 709 D TURBO

DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
DISASSEMBLING OF ENGINE				
Disassembling and inspection of each and every	comp	onents		
ENGINE HEAD				
Engine head to be checked for cracks				
Engine head to be phased				
Valve seats to be refitted with valve				
Valve guides to be refitted with				
•				
	ne			
	done			
	parts			
FINAL ASSEMBLING OF ENGINE				
Assembling and test running of the engine				
SPARES				
Piston with pin (Turbo)	Set	1		
Piston rings (Turbo)	Set	1		
E		1		
E		1		
		4		
E I				
		<b>†</b>		
	DISASSEMBLING OF ENGINE  Disassembling and inspection of each and every ENGINE HEAD  Engine head to be checked for cracks Engine head to be phased  Valve seats to be refitted with valve  Valve guides to be refitted with  Rocker arm bush to be refitted  ENGINE BLOCK  Engine block to be checked for cracks  Re sleeve to be done with sleeve  Check the line boring  Engine block to be phased  CRANK SHAFT  Big end journal re-cutting  Main journal re-cutting  Crank end collar to be repaired (front & rear)  CAM SHAFT  Cam end coller to be repaired  Cam shaft to be re-cut  Cam shaft bush to be refitted with bush  CONNECTING ROD  Connecting rod to be checked  Gudgeon pin with bush to be refitted  AIR COMPRESSOR  Air compressor cylinder re- boring work to be do Gudgeon pin bush to be refitted with bush  Air compressor crank shaft re cutting work to be INJECTOR PUMP  Injector pump servicing or repair with necessary  FINAL ASSEMBLING OF ENGINE  Assembling and test running of the engine  SPARES  Piston with pin (Turbo)  Piston rings (Turbo)  Big end bearing  Main bearing  Inlet valve  Exhaust valve  Crank shaft thrust plate  Overhaul gasket kit complete  Crank oil seal (front & rear)  Air compressor con rod bearing  Air compressor piston with rings  Air compressor valve plate  Air compressor valve plate	DISASSEMBLING OF ENGINE  Disassembling and inspection of each and every comp  ENGINE HEAD  Engine head to be checked for cracks  Engine head to be phased  Valve seats to be refitted with valve  Valve guides to be refitted with  Rocker arm bush to be refitted  ENGINE BLOCK  Engine block to be checked for cracks  Re sleeve to be done with sleeve  Check the line boring  Engine block to be phased  CRANK SHAFT  Big end journal re-cutting  Main journal re-cutting  Crank end collar to be repaired (front & rear)  CAM SHAFT  Cam end coller to be repaired  Cam shaft to be re-cut  Cam shaft to be re-cut  Cam shaft to be re-cut  Cam shaft to be refitted with bush  CONNECTING ROD  Connecting rod to be checked  Gudgeon pin with bush to be refitted  AIR COMPRESSOR  Air compressor cylinder re- boring work to be done  Gudgeon pin bush to be refitted with bush  Air compressor crank shaft re cutting work to be done  INJECTOR PUMP  Injector pump servicing or repair with necessary parts  FINAL ASSEMBLING OF ENGINE  Assembling and test running of the engine  SPARES  Piston with pin (Turbo)  Set  Big end bearing  Main bearing  Set  Inlet valve  Ea  Exhaust valve  Ea  Crank shaft thrust plate  Overhaul gasket kit complete  Crank oil seal (front & rear)  Ea  Air compressor valve plate  Set  Air compressor R/Kit  Ea	DISASSEMBLING OF ENGINE  Disassembling and inspection of each and every components  ENGINE HEAD  Engine head to be checked for cracks  Engine head to be phased  Valve seats to be refitted with valve  Valve guides to be refitted with  Rocker arm bush to be refitted  ENGINE BLOCK  Engine block to be checked for cracks  Re sleeve to be done with sleeve  Check the line boring  Engine block to be phased  CRANK SHAFT  Big end journal re-cutting  Main journal re-cutting  Crank end collar to be repaired (front & rear)  CAM SHAFT  Cam end coller to be repaired  Cam shaft to be re-cut  Cam shaft to be re-cut  Cam shaft bush to be refitted with bush  CONNECTING ROD  Connecting rod to be checked  Gudgeon pin with bush to be refitted  AIR COMPRESSOR  Air compressor cylinder re- boring work to be done  Gudgeon pin bush to be refitted with bush  Air compressor crank shaft re cutting work to be done  INJECTOR PUMP  Injector pump servicing or repair with necessary parts  FINAL ASSEMBLING OF ENGINE  Assembling and test running of the engine  SPARES  Piston with pin (Turbo)  Set 1  Piston rings (Turbo)  Big end bearing  Set 1  Inlet valve  Ea 4  Exhaust valve  Ea 4  Crank shaft thrust plate  Overhaul gasket kit complete  Ea 1  Crank oil seal (front & rear)  Air compressor cylvie plate  Air compressor piston with rings  Set 1  Air compressor on rod bearing  Air compressor Polykit  Air compressor R/Kit  Ea 1	DISASSEMBLING OF ENGINE  Disassembling and inspection of each and every components  ENGINE HEAD  Engine head to be checked for cracks  Engine head to be phased  Valve seats to be refitted with valve  Valve guides to be refitted with Rocker arm bush to be refitted  ENGINE BLOCK  Engine block to be checked for cracks  Re sleeve to be done with sleeve  Check the line boring  Engine block to be phased  CRANK SHAFT  Big end journal re-cutting  Main journal re-cutting  Crank end collar to be repaired (front & rear)  CAM SHAFT  Cam end coller to be repaired  Cam shaft to be re-cut  Cam shaft bush to be refitted with bush  CONNECTING ROD  Connecting rod to be checked  Gudgeon pin with bush to be refitted with bush  Air compressor cylinder re-boring work to be done  Gudgeon pin bush to be refitted with bush  Air compressor crank shaft re cutting work to be done  INJECTOR PUMP  Injector pump servicing or repair with necessary parts  FINAL ASSEMBLING OF ENGINE  Assembling and test running of the engine  SPARES  Piston with pin (Turbo)  Set 1  Big end bearing  Set 1  Inlet valve  Ea 4  Exhaust valve  Ea 4  Exhaust valve  Ea 4  Crank shaft thrust plate  Crank oil seal (front & rear)  Ea 2  Air compressor cor rod bearing  Air compressor piston with rings  Set 1  Air compressor piston with rings  Set 1  Air compressor priston with rings  Set 1  Air compressor piston with rings

Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	4	
Feed pump complete	Ea	1	
Fan belt	Ea	2	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Cooling fan	Ea	1	
Spigot bearing	Ea	1	
Sealant tube	Ea	2	
Sub Total			
VAT			
Grade Total			

### 04. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TATA 1313 697D TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total	Price
1	DISASSEMBLING OF ENGINE					
	Disassembling and inspection of each and evo	ery compo	onents			
2	ENGINE HEAD					
	Engine head to be checked for cracks					
	Engine head to be phased					
	Valve seats to be refitted with valve					
	Valve guides to be refitted with valve guides					
	Rocker arm bush to be refitted					
3	ENGINE BLOCK					
	Engine block to be checked for cracks					
	Re sleeve to be done with sleeve					
	Check the line boring					
	Engine block to be phased					
4	CRANK SHAFT					
т	Crank shaft crack to be checked					
	Big end journal re-cutting					
	Main journal re-cutting				1	
5	CAM SHAFT					
	Air compressor journal wear ness to be checked	ed & re cu	ıt			
	Cam end coller to be repaired					
	Cam shaft to be re-cut					
	Cam shaft bush to be refitted with bush					
6	CONNECTING ROD					
<u> </u>	Connecting rod to be checked					
	Gudgeon pin with bush to be refitted					
7	AIR COMPRESSOR					
-	Air compressor cylinder re- boring work to be	done				
	Gudgeon pin bush to be refitted with bush					
8	INJECTOR PUMP					
	Injector pump servicing or repair with necessary	ry parts				
9	FINAL ASSEMBLING OF ENGINE					
	Assembling and test running of the engine					
10	SPARES					
	Piston with pin	Set	1			
	Piston rings	Set	1			
	Big end bearing	Set	1			
	Main bearing	Set	1			
	Inlet valve	Ea	6			
	Exhaust valve	Ea	6			
	Crank shaft thrust plate	Set	1			
	Overhaul gasket kit complete	Ea	1			
	Crank oil seal (front & rear )	Ea	2			
	Air compressor con rod bearing	Set	1	4		
	Air compressor piston with rings	Set	1	4		
	Air compressor valve plate	Set	1	-		
	Air compressor R/Kit	Set	1			
	Spacer for vibration damper Thrust washer cam timing wheel	Ea Ea	1	+		

Plug expansion (Cam hole)	Ea	1		
Spigot bearing	Ea	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Injector nozzle	Ea	6		
Fan belt	Ea	2		
Push rod bucket	Set	1		
Cooling fan	Ea	1		
Engine head water by pass metal line	Ea	1		
Valve oil seal set	Ea	1		
Power steering belt	Ea	1		
Sealant tube	Ea	2		
Sub Total	_			
Vat	•	•	_	
Grand Total				

### <u>05.WORK SCOPE FOR THE ENGINE OVERHAUL OF – TOYOTA 2C TURBO</u>

S/NO	DESCRIPTION			Unit	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and eve	ery compo	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased Water jacket to be refitted				
4	CRANK SHAFT				
4	Big end journal re-cutting			1	
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin bush to be refitted with bush				
7	INJECTOR PUMP				
	Injector pump servicing or repair with necessa	ry parts			
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
Q	SPARES				
	Piston with pin (Turbo)	Set	1		
	Piston rings (Turbo)	Set	1	1	
	Big end bearing	Set	1 1		
	Main bearing		1 1		
	Inlet valve	Set Ea	4		
			4		
	Exhaust valve	Ea Set	<u>4</u> 1	+	
	Crank shaft thrust plate	Ea	1 1	+	
	Overhaul gasket kit complete Spigot bearing	Ea Ea	<u>l</u> 1		
	Timing belt	Ea Ea	<u>l</u> 1	<del> </del>	
	Timing belt adjuster	Ea	<u> </u>	<del> </del>	
	Timing belt adjuster  Timing belt idler wheel	Ea	<u> </u>	+	
	• •	Ea	<u> </u>		
	Water pump Oil pump	Ea	1 1		
	Crank oil seal ( Front & Rear)	Ea	2		+
	Oil filter	Ea	11		

Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	2		
Viscose unit with Fan	Ea	1		
Valve oil seal	Set	1		
Cam oil seal	Ea	1		
Crank timing wheel	Ea	1		
Power steering belt	Ea	1		
AC belt	Ea	1		
Sealant tube	Ea	1		
Sub Total	_			
Vat				
Grand Total				

### 06. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 3L TURBO

S/NO	DESCRIPTION			Unit	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and e	every comp	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guide	S			
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
7	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
0	Injector pump with injectors servicing or re	pair with ne	ecessary		
8	FINAL ASSEMBLING OF ENGINE				
9	Assembling and test running of the engine <b>SPARES</b>				
9		Cat	1		
	Piston with pin (Turbo) Piston rings (Turbo)	Set Set	1		
		Set	1		
	Big end bearing Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Cam shaft bearing	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing belt	Ea	1		
	Timing belt adjuster	Ea	1		
	Timing belt idler wheel	Ea	1		
	Water pump	Ea	1		
	Oil pump	Ea	1		

Crank oil seal (front & rear)	Ea	2	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	2	
Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
Cam oil seal	Ea	1	
Crank timing wheel	Ea	1	
Ac belt	Ea	1	
Power steering Belt	Ea	1	
Injector overflow metal line	Ea	1	
Heater plug connecting plate	Ea	1	
Sealant tube	Ea	1	
Sub Total			
VAT			
Grand Total			

### <u>07. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TATA 1210 692D</u>

S/NO	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and	every comp	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Crank shaft crack to be checked				
	Big end journal re-cutting			_	
5	Main journal re-cutting CAM SHAFT				
3		pakad & ra a	ınt.		
	Air compressor journal wear ness to be checked & re cut  Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to				
0	Gudgeon pin bush to be refitted with bush				
8	INJECTOR PUMP				
9	Injector pump servicing or repair with necessity FINAL ASSEMBLING OF ENGINE	essary parts			
9	Assembling and test running of the engine				
10	SPARES				
10	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor piston with rings	Set	1	1	

Air compressor valve plate	Set	1		
Air compressor R/Kit	Set	1		
Spacer for vibration damper	Ea	1		
Thrust washer cam timing wheel	Ea	1		
Plug expansion (Cam hole)	Ea	1		
Spigot bearing	Ea	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Injector nozzle	Ea	6		
Fan belt	Ea	2		
Push rod bucket	Set	1		
Cooling fan	Ea	1		
Engine head water by pass metal line	Ea	1		
Valve oil seal set	Ea	1		
Sealant tube	Ea	1		
Sub Total	_			
Vat				
Grand Total				

### 08. WORK SCOPE FOR THE ENGINE OVERHAUL OF L/A/L ECOMET

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
4	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be do	ne			
	Gudgeon pin bush to be refitted with bush				
	Air compressor crank shaft re cutting work to be				
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repair w	ith			
9	FINAL ASSEMBLING OF ENGINE				
10	Assembling and test running of the engine				
10	SPARES	٠,	1		
	1 \ /	Set	1		
	8 \ /	Set	1		
	e e	Set Set	1		
		Ea	4		
		<u>za</u> Ea	4		
		Set	1		
		<del>Бес</del> Еа	1		
		<u>за —                                   </u>	2		
	` '	Set	1		
		Set	1		
		Set	1		
	Air compressor R/Kit	Ξa	1		

Air compressor oil seal	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	4	
Feed pump complete	Ea	1	
Fan belt	Ea	2	
Viscose unit with Fan	Ea	1	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Spigot bearing	Ea	1	
Sealant tube	Ea	2	
Sub Total			
VAT		•	
Grade Total			

## $\underline{09.~WORK~SCOPE~FOR~THE~ENGINE~OVERHAUL~OF-BRITISH~LEYLAND~EO}$ $\underline{402}$

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and eve	ery cor	nponents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guides				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Cam shaft bush to be refitted with bush				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Crank shaft crack to be checked for cracks				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired rear				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
7	Gudgeon pin bush to be refitted with bush AIR COMPRESSOR				
/	Air compressor cylinder re- boring work to be	done			
	Gudgeon pin bush to be refitted with bush	uone			
	Air compressor crank shaft re cutting work to	he dor	ne .		
	Air compressor crank shaft bearing to be refitt				
8	INJECTOR PUMP	<u>cu</u>			
	Injector pump servicing or repair with necessa	rv nar	ts.		
9	FINAL ASSEMBLING OF ENGINE	1) pui			
	Assembling and test running of the engine				
10	SPARES				
		Set	1		
		Set	1		
	Big end bearing	Set	1		
		Set	1		
		Ea	6		
		Ea	6		
		Set	1		
		Ea	1		
		Ea	2		
		Set	1		
	Air compressor piston with rings	Set	1		

Air compressor valve plate	Set	1				
Air compressor oil seal	Ea	1				
Air compressor R/Kit	Ea	1				
Spacer for vibration damper	Ea	1				
Thrust washer cam timing wheel	Ea	1				
Valve oil seal	Set	1				
Adjusting shim	Ea	1				
Plug expansion cam hole	Ea	1				
Water pump complete	Ea	1				
Oil pump	Ea	1				
Oil filter	Ea	1				
Temperature sensor	Ea	1				
Injector nozzle	Ea	6				
Feed pump complete	Ea	1				
Fan belt	Ea	2				
Viscos unit with fan	Ea	1				
Spigot bearing	Ea	1				
Sealant tube	Ea	1				
Sub Total						
Vat	Vat					
Grand Total						

## 10. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 401,402 NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD	1			
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted with valve guides				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Air compressor journal wear ness to be checked				
	Cam shaft bush to be refitted with bush				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be de				
	Gudgeon pin bush to be refitted with bush				
	Air compressor crank shaft re cutting work to be				
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repair	with			
9	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
	SPARES	<b>C</b> .	1		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing Inlet valve	Set	6		
	Exhaust valve	Ea Ea	6		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor piston with rings	Set	1		

Air compressor valve plate	Set	1			
Air compressor R/Kit	Ea	1			
Air compressor oil seal	Ea	1			
Water pump complete	Ea	1			
Oil pump	Ea	1			
Oil filter	Ea	2			
Temperature sensor	Ea	1			
Oil pressure switch	Ea	1			
Injector nozzle	Ea	6			
Feed pump complete	Ea	1			
Fan belt	Ea	1			
Spigot bearing	Ea	1			
Injector pump coupling shims	Set	1			
Push rod bucket	Set	1			
Valve oil seal	Set	1			
Cooling fan	Ea	1			
Sealant tube	Ea	1			
Sub Total					
Vat					
Grand Total					

### 11. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TATA CUMMINS

S/NO	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ever	y compo	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guides.				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Crank shaft crack to be checked				
	Big end journal re-cutting				
	Main journal re-cutting				
5	CAM SHAFT				
	Air compressor journal wear ness to be checked				
	cam end coller to be repaired				
	cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be	=			
	Gudgeon pin bush to be refitted with bush				
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repair	with ne	cessary		
9	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
10	SPARES	T a .	1.		
	Piston with pin (Turbo)	Set	1		
	Piston rings (Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate Overhaul gasket kit complete	Set Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor con rod bearing Air compressor piston with rings	Set	1		
	Air compressor valve plate	Set	1		
	Air compressor R/Kit	Set	1		
	Spacer for vibration damper	Ea	1		

Thrust washer cam timing wheel	Ea	1		
Plug expansion (Cam hole)	Ea	1		
Spigot bearing	Ea	1		
Valve oil seal	Set	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Injector nozzle	Ea	6		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Push rod bucket	Set	1		
Sealant tube	Ea	2		
Sub Total				
VAT				
Grade Total			·	

## 12.WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/LW06D NON TURBO HINO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted with valve guides				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be do	one			
	Gudgeon pin with bush to be refitted				
	Air compressor crank shaft re cutting work to be	done			
8	INJECTOR PUMP				
_	Injector pump servicing or repair with necessary	parts			
9	FINAL ASSEMBLING OF ENGINE				
1.0	Assembling and test running of the engine				
10	SPARES	<u>~</u>			
	<u></u>	Set	1		
	Č	Set	1		
	8	Set	1		
		Set	1		
		<u>Ea</u>	6		
		Ea	6		
		Set	1		
		<u>Ea</u>	1		
	Crank oil seal (front & rear)	Ea	2		
		Set	1		
	Air compressor piston with rings	Set	1		

Air compressor valve plate	Set	1	
Air compressor R/Kit	Ea	1	
Air compressor oil seal	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	6	
Feed pump complete	Ea	1	
Fan belt	Ea	2	
Valve oil seal set	Ea	1	
Spigot bearing	Ea	1	
Power steering belt	Ea	1	
Sealant tube	Ea	1	
Sub Total			
Vat		•	
Grade Total		•	

### 13.WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 709 D NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				_
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				1
4	Engine block to be phased				1
4	CRANK SHAFT Big end journal re-cutting				1
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
3	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD	-			
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be do	ne			
	Gudgeon pin bush to be refitted with bush				
_	Air compressor crank shaft re cutting work to be	done			
8	INJECTOR PUMP				_
	Injector pump with injectors servicing or repair w	vith			
9	FINAL ASSEMBLING OF ENGINE				
10	Assembling and test running of the engine				
10	SPARES Piston with pin	Set	1		1
		Set	1		
	E	Set	1		
		Set	1		
		Ea	4		
		<u>Ea</u> Ea	4		
		Set	1		
		Ea	1		
		Ea	2		
		Set	1		
		Set	1		
		<u>Set</u>	1		1
	Air compressor R/Kit	Ea	1		

Air compressor oil seal	Ea	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	2		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Injector nozzle	Ea	4		
Feed pump complete	Ea	1		
Fan belt	Ea	2		
Push rod bucket	Set	1		
Valve oil seal	Set	1		
Cooling fan	Ea	1		
Spigot bearing	Ea	1		
Sealant tube	Ea	1		
Sub Total				
VAT				
Grade Total		<u>'</u>	·	

## 14. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L W06D TURBO HINO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guides				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be do				
	Gudgeon pin bush to be refitted with bush				
	Air compressor crank shaft re cutting work to be				
8	INJECTOR PUMP				
-	Injector pump with injectors servicing or repair w				
9	FINAL ASSEMBLING OF ENGINE				
10	Assembling and test running of the engine				
10	SPARES  Distance with via (Teacher)	0 - 4	1		
	` /	Set	1		
		Set	1		
		Set	1		
	C	Set	1		
		Ea Ea	6		
		Ea Set	1		
		Sei Ea	1		
	E I		1		
		Ea Set	2		
		Set Set	1		
		Set	1		
	1 m compressor varve place	JUL	1	1	

Air compressor R/Kit	Ea	1	
Air compressor oil seal	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	6	
Feed pump complete	Ea	1	
Fan belt	Ea	1	
Viscos unit with Fan	Ea	1	
Heator plug	Ea	6	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Spigot bearing	Ea	1	
Sealant tube	Ea	1	
Sub Total			
Vat			
Grand Total			

### 15. WORK SCOPE FOR THE ENGINE OVERHAUL OF TOYOTA COASTER 1 HZ

S/No	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each	and every con	nponents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Main journal re-cutting				
	Big end journal re-cutting				
	Crank end coller to be repaired				
5	CAM SHAFT				
<u> </u>	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush	n			
6	CONNECTING ROD	.1			
0	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted w	vith bush			
7	INJECTOR PUMP	vitii oddii			
•	Injector pump with injectors servicing				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the eng				
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Spigot bearing	Ea	1		
	Cam shaft bearing	Set	1		
	Timing belt	Ea	1		
	Timing belt adjuster	Ea	1		
	Timing belt idler wheel	Ea	1		
	Water pump complete	Ea	1		
	Oil pump complete	Ea	1		
	Oil filter	Ea	1		
	Oil pressure switch	Ea	1		
	Temperature sensor	Ea	1		
	Injector nozzle	Ea	6		
	Fan belt	Ea	1		

Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
Heater plug	Ea	6	
Cam oil seal	Ea	1	
Sealant tube	Ea	1	
AC belt	Ea	1	
Power steering belt	Ea	1	
Sub Total			
VAT	•		
Grade Total	•		

### 16. WORK SCOPE FOR THE ENGINE OVERHAUL OF - MAZDA WL

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ever	y compon	ents		
2	ENGINE HEAD	<u> </u>			
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or repair	with nece	essary		
	parts				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES		1		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1 1		
	Cam shaft bearing	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing belt	Ea	1		
	Timing belt adjuster	Ea	1		
	Timing belt idler wheel	Ea	1		
	Water pump	Ea	1		
	Oil pump	Ea	1		
	Crank oil seal (front & rear)	Ea	2		

Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	1	
Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
Cam oil seal	Ea	1	
Sealant tube	Ea	1	
Sub Total			
VAT	•		
Grade Total			

### 17. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D 55 PAJARO

S/NO	DESCRIPTION		Unit Price	Total Price	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of eac				
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve s	seats			
	Valve guides to be refitted with valve	e guides.			
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crack	S			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Balance shaft bush to be refitted with	n bush			
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front	& rear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted	with bush			
7	INJECTOR PUMP				
	Injector pump with injector servicing				
	necessary parts				
8	FINAL ASSEMBLING OF ENGIN				
	Assembling and test running of the en	ngine			
9	SPARES		<u> </u>		
	Piston with pin (Non Turbo)	Set	1		
	Piston rings (Non Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing belt (A)	Ea	1		
	Timing belt adjuster (A)	Ea	1		

Timing belt (B)	Ea	1	
Timing belt adjuster (B)	Ea	1	
Oil pump	Ea	1	
Water pump complete	Ea	1	
Crank oil seal (front & rear)	Ea	2	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	2	
Viscos unit with Fan	Ea	1	
Cam oil seal	Ea	1	
Valve oil seal	Set	1	
Balance shaft oil seal	Ea	2	
Balance shaft bush	Ea	2	
Valve adjusting screw with tip	Set	1	
Oil cap	Ea	1	
AC belt	Ea	1	
Power steering belt	Ea	1	
Sealant tube	Ea	2	
Sub Total			
VAT			
Grand Total			

# 18. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D56 NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and	d every	7		
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guides	des.			
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Balance shaft bush to be refitted				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & re	ear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with	n bush			
7	INJECTOR PUMP				
	Injector pump servicing or repair with nec	cessary	parts		
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine	e			
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing belt (A)	Ea	1		
	Timing belt adjuster (A)	Ea	1		
	Timing belt (B)	Ea	1		

Timing belt adjuster (B)	Ea	1		
Oil pump	Ea	1		
Water pump complete	Ea	1		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Valve adjusting screw with tip	Set	1		
Oil cap	Ea	1		
Balance shaft bush	Ea	2		
Crank oil seal front & rear	Ea	1		
Valve oil seal set	Ea	1		
Cam oil seal set	Ea	1		
Balance shaft oil seal	Ea	1		
Power steering belt	Ea	1		
Ac belt	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

#### 19. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 2L NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total	Price
1	DISASSEMBLING OF ENGINE					
	Disassembling and inspection of each and every	I				
	components	<i>'</i>				
2	ENGINE HEAD					
	Engine head to be checked for cracks					
	Engine head to be checked for cracks  Engine head to be phased					
	Valve seats to be refitted with valve					
	Valve guides to be refitted					
	Water jacket to be refitted					
3	ENGINE BLOCK					
	Engine block to be checked for cracks					
	Re sleeve to be done with sleeve Check the line boring					
	Engine block to be phased					
4	CRANK SHAFT					
7	Big end journal re-cutting					
	Main journal re-cutting					
	Crank end collar to be repaired (front & rear)					
5	CAM SHAFT					
	Cam shaft to be re-cut					
	Cam end collar to be repaired					
	Cam shaft bush to be refitted with bush					
6	CONNECTING ROD					
U	Connecting rod to be checked					
	Gudgeon pin with bush to be refitted with bush					
7	INJECTOR PUMP					
,	Injector pump servicing or repair with necessary	narts				
8	FINAL ASSEMBLING OF ENGINE					
U	Assembling and test running of the engine					
9	SPARES					
	Piston with pin (Non Turbo)	Set	1			
	Piston rings (Non Turbo)	Set	1			
	Big end bearing	Set	1			
	Main bearing	Set	1			
	Inlet valve	Ea	4			
	Exhaust valve	Ea	4			
	Crank shaft thrust plate	Set	1			
	Overhaul gasket kit complete	Ea	1			
	Spigot bearing	Ea	1			
	Timing belt	Ea	1			
	Timing belt adjuster	Ea	1			
	Timing belt idler wheel	Ea	1			
	Water pump	Ea	1			
	Oil pump	Ea	1			
	Crank oil seal ( Front & Rear)	Ea	2			
	Oil filter	Ea	1			
	Temperature sensor	Ea	1			
	Oil pressure switch	Ea	1			

Heater plug	Ea	4				
Injector nozzle	Ea	4				
Fan belt	Ea	2				
Ac belt	Ea	1				
Viscos unit with Fan	Ea	1				
Cam shaft bearing	Set	1				
Valve oil seal	Set	1				
Cam oil seal	Ea	1				
Crank timing wheel	Ea	1				
Power steering belt	Ea	1				
Injector overflow line metal line set	Ea	1				
Heater plug connecting plate	Ea	1				
Sealant tube	Ea	1				
Sub Total						
Vat						
Grand Total						

## 20. WORK SCOPE FOR THE ENGINE OVERHAUL OF NISSAN TD 27

S/No	DESCRIPTION			<b>Unit Price</b>	Total Pri		
1	DISASSEMBLING OF ENGINE						
	Disassembling and inspection of each a	and every co	mponents				
2	ENGINE HEAD						
	Engine head to be checked for cracks						
	Engine head to be phased						
	Valve seats to be refitted with valve						
	Valve guides to be refitted						
	Water jacket to be refitted						
3	ENGINE BLOCK						
	Engine block to be checked						
	Re sleeve to be done with sleeve						
	Water jacket to be refitted						
	Engine block to be phased						
4	CRANK SHAFT						
-	Big end journal re-cutting						
	Main journal re-cutting						
	Crank end collar to be repaired Front &	Rear					
5	CAM SHAFT						
	Cam end coller to be repaired						
	Cam shaft to be re-cut						
	Cam shaft bush to be refitted with bush						
6	ROCKER						
	Rocker bush to be re fitted with bush						
7	CONNECTING ROD						
	Connecting rod to be checked						
	Gudgeon pin with bush to be refitted						
8	INJECTOR PUMP						
	Injector pump with injectors servicing of	or repair with	necessary parts				
9	FINAL ASSEMBLING OF ENGINE						
	Assembling and test running of the eng	ine					
10	SPARES						
	Piston with pin	Set	1				
	Piston rings	Set	1				
	Big end bearing	Set	1				
	Main bearing	Set	1				
	Inlet valve	Ea	4				
	Exhaust valve	Ea	4				
	Crank shaft thrust plate	Set	1				
	Overhaul gasket kit complete	Ea	1				
	Crank oil seal (front & rear)	Ea	2				
	Spigot bearing	Ea	1				
	Oil pump complete	Ea	1				
	Water pump complete	Ea	1				
	Oil filter	Ea	1				
	Temperature sensor	Ea	1				
	Oil pressure switch	Ea	1				
	Heater plug	Ea	4				
	Injector nozzle	ector nozzle Ea 4					

Fan belt	Ea	1	
Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
AC belt	Ea	1	
Power steering belt	Ea	1	
Sealant tube	Ea	2	
Alternator belt	Ea	1	
Sub Total			
VAT			
Grade Total			

## 21. WORK SCOPE FOR THE ENGINE OVERHAUL OF SUZUKI MARUTI SX4 M16AN/DOHC

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each	n and ever	ry components		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front	& rear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin bush to be refitted with				
7	FINAL ASSEMBLING OF ENGIN				
	Assembling and test running of the en	igine & ei	ngine tune-up		
8	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Timing chain	Ea	1		
	Timing chain adjuster	Ea	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Oil filter	Ea	1		

Temperature sensor	Ea	1				
Air flow sensor	Ea	1				
Throttle position sensor	Ea	1				
Cam sensor	Ea	1				
Crank sensor	Ea	1				
Oil pressure sensor	Ea	1				
Spark plug	Ea	4				
Ignition coil	Ea	2				
High-tension lead	Ea	4				
Injector nozzle	Ea	4				
Fan belt	Ea	1				
Ac belt	Ea	1				
Ac belt adjuster	Ea	1				
Timing chain guard	Ea	2				
Valve oil seal	Set	1				
Sealant tube	Ea	1				
Sub Total						
Vat	Vat					
Grand Total						

#### 22. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 5L TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every	comp	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
	Rocker bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut ( <b>IF REQUIRED</b> )				
	Cam end collar to be repaired (IF REQUIRED)				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or repair w				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES		T		
	1 /	Set	1		
	8 \ /	Set	1		
		Set	1		
	C	Set	1		
		Ea	4		
		<u>Ea</u>	4		
	1	Set	1		
		Set	1		
	E	<u>Ea</u>	1		
		<u>Ea</u>	1		
	t)	<u>Ea</u>	1		
	E 5	Ea	1		
	ε	Ea	1		
		<u>Ea</u>	1		
	Oil pump	Ea	1		

Crank oil seal (front & rear )	Ea	2		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	1		
Ac belt	Ea	1		
Viscos unit with Fan	Ea	1		
Valve oil seal	Set	1		
Cam oil seal	Ea	1		
Crank timing wheel	Ea	1		
Sealant tube	Ea	2		
Injector overflow metal line set	Ea	1		
Heater plug connecting plate	Ea	1		
Power steering belt	Ea	1		
Sub Total	·			
VAT				
Grade Total	·		·	

# 23. WORK SCOPE FOR THE ENGINE OVERHAUL OF – LAND ROVER DEFENDER NON TDI

S/NO	DESCRIPTION	Unit Price	Total Price
1	DISASSEMBLING OF ENGINE		
	Disassembling and inspection of each and every components		
2	ENGINE BLOCK		
	Engine block re sleeve (Standard size original L/R/D genuine		
	sleeve)		
	Fitting of new piston with pin sets to standard size (L/R/D genuine spares)		
	Fitting of new ring set of standard size (L/R/D genuine spares)		
	Replacement of main bearing set of size 10;20 or 30 (L/R/D		
	genuine spares)		
	Main bearing cap line boring		
	Replacement of big end bearing set of size 10;20 or 30 (L/R/D		
	Connecting rod line boring		
	Replacement of connecting rod bushes (L/R/D genuine		
	Repair of cam journal and fitting of bushes (L/R/D genuine spares)		
	Re grinding of crank shaft and fitting of bearing (L/R/D		
	genuine spares)		
	Engine block re facing		
	Replacement of engine thrust pad (L/R/D genuine spares)		
	Engine block crack check		
	Crank shaft crack check and defect check		
	Repair of crank shaft key		
3	ENGINE HEAD		
	Check head distortion and head facing		
	Replacement of engine head pre combustion chamber(L/R/D genuine spares)		
	Engine head valve seat (qty 08) (L/R/D genuine spares)		
	Engine head valve seat cutting and valve facing		
	Replacement of engine head valve guide(qty 08)		
	Engine head leak test		
	Replacement of engine head inlet valve (qty 04) (L/R/D genuine spares)		
	Replacement of engine head exhaust valve (qty 04) (L/R/D		
	Valve re-cutting		
	Head damage repair and re-facing		
	Heater plug thread re-construction & re-cutting		
4	INJECTOR PUMP		
	Injector pump repair		
5	FINAL ASSEMBLING OF ENGINE		
	Assembling and test running of the engine		
6	SPARES FOR L/R/D JEEP NON TDI ENGINE		

Engine overhaul kit	Ea	1	
De carbonizing Kit	Ea	1	
Rear crank oil seal	Ea	1	
Front crank oil seal	Ea	1	
Cam oil seal	Ea	1	
oil pump	Ea	1	
Fuel feed pump	Ea	1	
Timing belt	Ea	1	
Timing belt Adjuster	Ea	1	
Injector nozzle	Ea	4	
Water Pump	Ea	1	
Oil filter	Ea	1	
Crank wheel	Ea	1	
Vacuum pump	Ea	1	
Fan belt	Ea	1	
Heater plug	Ea	4	
Oil pressure switch	Ea	1	
Heater sensor	Ea	1	
Heater connecting line	Ea	1	
Oil cooler hose	Ea	2	
Water jacket	Ea	4	
Oil jacket	Ea	1	
Thermostat valve	Ea	1	
Push rod set	Ea	1	
Sub Total			
Vat			
Grand Total			

## 24. WORK SCOPE FOR THE ENGINE OVERHAUL OF – LAND ROVER DEFENDER 300 TDI

S/NO	DESCRIPTION	<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE		
	Disassembling and inspection of each and every		
	components		
2	ENGINE BLOCK		
	Engine block re sleeve (Standard size original L/R/D		
	genuine sleeve )		
	Fitting of new piston with pin sets to standard size (L/R/D		
	genuine spares)		
	Fitting of new ring set of standard size (L/R/D genuine spares)		
	Replacement of main bearing set of size 10;20 or 30		
	(L/R/D genuine spares)		
	Main bearing cap line boring		
	Replacement of big end bearing set of size 10;20 or 30		
	(L/R/D genuine spares)		
	Connecting rod line boring		
	Replacement of connecting rod bushes (L/R/D genuine		
	spares)		
	Repair of cam journal and fitting of bushes (L/R/D		
	genuine spares)  Do aminding of around shoft and fitting of bearing (L/D/D)		
	Re grinding of crank shaft and fitting of bearing (L/R/D genuine spares)		
	Engine block re facing		
	Replacement of engine thrust pad (L/R/D genuine spares)		
	Repair of engine oil pump wheel key		
	Engine block crack check		
	Crank shaft crack and defect check		
	Repairing of crank shaft key		
3	ENGINE HEAD		
	Head facing Replacement of head valve seat (qty 08) (L/R/D genuine		
	spares)		
	Engine head valve seat (qty 08) fitting, cutting and valve		
	facing		
	Replacement of engine head valve guide(qty 08)		
	Engine head leak test		
	Replacement of engine head inlet valve (qty 04) (L/R/D		
	genuine spares)		
	Replacement of engine head exhaust valve (qty 04)  Valve re-cutting		
	Head damage repair and re-facing		
	Heater plug thread re-construction & re-cutting		
	Rocker stud check and repair		
	Exhaust and inlet manifold stud check and repair		

4	INJECTOR PUMP				
	Injector pump with injectors repair				
6	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
7	SPARES FOR L/R/D JEEP TDI ENGINE BLOCK				
,	Engine overhaul kit	Ea	1		
	De carbonizing Kit	Ea	1		
	Rear crank oil seal	Ea	1		
	Front crank oil seal	Ea	1		
	Cam oil seal	Ea	1		
	Oil pump	Ea	1		
	Fuel feed pump	Ea	1		
	Timing belt	Ea	1		
	Timing belt Adjuster	Ea	1		
	Timing belt idler	Ea	1		
	Fan belt tensioner	Ea	1		
	Injector nozzle	Ea	4		
	Water Pump	Ea	1		
	Oil filter	Ea	1		
	Crank wheel	Ea	1		
	Vacuum pump	Ea	1		
	Fan belt	Ea	1		
	Heater plug	Ea	4		
	Oil pressure switch	Ea	1		
	Heater sensor	Ea	1		
	Heater connecting line	Ea	1		
	Water jacket	Ea	5		
	Oil jacket	Ea	1		
	Oil zone neck with banjo bolt	Ea	4		
		Ea	1		
	Thermostat valve complete Viscose unit	Ea	_		
	Viscose unit Viscose fan		1		
		Ea	1		
	Diesel spill return hose with banjo bolt	set	1		
	Fly wheel bush	Ea	1		
	Banjo bolt For Oil Feed Pipe turbo	Ea	1		
	Pipe Turbo oil feed	Ea	1		
	Pipe Oil Drain turbo	Ea	1		
	Injector pump over flow banjo bolt	Ea	1		
	Injector pump fuel in banjo bolt	Ea	1		
	Oil filler cap	Ea	1		
	Breather unit	Ea	1		
	Breather hose tappet cover to engine	Ea	1		
	Fuel cut off switch	Ea	1		
	Water by Pass Hose	Ea	1		
	Push rod Set	Ea	1		
~ -					
Sub T	otal				
Vat					
Grand	l Total				

# 25. WORK SCOPE FOR THE ENGINE OVERHAUL OF BOLERO JEEP / SINGLE CAB NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each	h and every	y		
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crack				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (fron	t & rear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted	with bush			
7	INJECTOR PUMP				
-	Injector pump with injectors servicing				
	necessary parts				
8	FINAL ASSEMBLING OF ENGIN	NE .			
	Assembling and test running of the en				
9	SPARES	8			
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing chain	Ea	1		
	Timing chain adjuster	Ea	1		
	Timing chain guard	Ea	2		

Oil pump	Ea	1			
Water pump complete	Ea	1			
Crank oil seal (front & rear )	Ea	2			
Oil filter	Ea	1			
Temperature sensor	Ea	1			
Oil pressure switch	Ea	1			
Heater plug	Ea	4			
Injector nozzle	Ea	4			
Fan belt	Ea	1			
Cooling Fan	Ea	1			
Alternator belt	Ea	1			
AC belt	Ea	1			
Valve oil seal	Set	1			
Sealant tube	Ea	1			
Sub Total					
Vat					
Grand Total					

#### 26. WORK SCOPE FOR THE ENGINE OVERHAUL OF – TATA 207 DI TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ever				
2	ENGINE HEAD	<u> </u>			
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
· ·	Air compressor journal weariness to be checked	1 & r	e cut (if		
	required)		(21		
	Big end journal re-cutting				
	Main journal re-cutting  Main journal re-cutting				
	Crank end collar to be repaired (rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush				
7	INJECTOR PUMP				
	Injector pump servicing or repair with necessary				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES				
	Piston with pin (Turbo) Se		1		
		et	1		
		et	1		
		et	1		
	Inlet valve E		4		
	Exhaust valve E		1		
		et	1		
	Spigot bearing E		1		
	Water pump E		1		
	Oil pump E				
	Crank oil seal (Front & Rear)		2		
	Oil filter E		1		
	Temperature sensor E		1		
	Oil pressure switch E		1		
	Heater plug E	a	4		

Injector nozzle	Ea	4		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Push rod bucket	Set	1		
Valve oil seal	Set	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

#### 27. WORK SCOPE FOR THE ENGINE OVERHAUL OF JMC CAB/ TRUCK

S/NO	DESCRIPTION	Unit Price	Total Price		
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each				
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crack	S			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (from				
5	CAM SHAFT	/			
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bu	ısh			
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted	with bush			
7	INJECTOR PUMP				
-	Injector pump with injectors servicin				
	necessary parts	<i>6</i> • • • • • • • • • • • • • • • • • • •			
8	FINAL ASSEMBLING OF ENGIN	NE .			
	Assembling and test running of the e				
9	SPARES	8			
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		

Oil filter	Ea	1				
Temperature sensor	Ea	1				
Oil pressure switch	Ea	1				
Heater plug	Ea	4				
Injector nozzle	Ea	4				
Fan belt	Ea	1				
Viscos unit with Fan	Ea	1				
Oil cap	Ea	1				
Timing idle wheel bearing	Ea	2				
Valve oil seal	Set	1				
AC belt	Ea	2				
Power steering belt	Ea	2				
Sealant tube	Ea	1				
Alternator belt	Ea	1				
Sub Total						
VAT	VAT					
Grade Total	Grade Total					

#### 28. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 1618 TURBO

S/NO	DESCRIPTION		<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ev	ery			
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve seats				
	Valve guides to be refitted with valve guides				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
6	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
7	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bu	<u>sh</u>			
8	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to b	e done			
	Gudgeon pin bush to be refitted with bush	1 1			
0	Air compressor crank shaft re cutting work to	be done			
9	INJECTOR PUMP				
1.0	Injector pump with injectors servicing or repa	air with			
10	FINAL ASSEMBLING OF ENGINE				
1.1	Assembling and test running of the engine				
11	SPARES  District (To 1)	- C 4	1		
	Piston with pin (Turbo)	Set	1		
	Piston rings (Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve Exhaust valve	Ea	6		
		Ea	6		
	Crank shaft thrust plate Overhaul gasket kit complete	Set Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor con rod bearing  Air compressor piston with rings	Set	1		
	Air compressor valve plate	Set	1		

Air compressor R/Kit	Ea	1			
Air compressor oil seal	Ea	1			
Water pump complete	Ea	1			
Oil pump	Ea	1			
Oil filter	Ea	1			
Temperature sensor	Ea	1			
Oil pressure switch	Ea	1			
Injector nozzle	Ea	6			
Feed pump complete	Ea	1			
Fan belt	Ea	1			
Viscos unit with Fan	Ea	1			
Push rod bucket	Set	1			
Valve oil seal	Set	1			
Spigot bearing	Ea	1			
Plug expansion (cam hole)	Ea	1			
Turbo charger pressure hose with banjo bolt	Ea	1			
set					
Turbo charger return hose with banjo bolt set	Ea	1			
Sealant tube	Ea	2			
Sub Total					
Vat		•			
Grand Total					

#### 29. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 1614 NON TURBO

S/NO	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ever	onents			
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be of	lone			
	Gudgeon pin bush to be refitted with bush				
	Air compressor crank shaft re cutting work to b	e done			
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repair	with			
	necessary parts				
9	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
10	SPARES				
	Piston with pin (Non Turbo)	Set	1		
	Piston rings (Non Turbo)	Set	1		
	Big end bearing	Set	11		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate	Set	<u>l</u>		
	Overhaul gasket kit complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor piston with rings	Set	1	_	
	Air compressor valve plate	Set	1		

Air compressor R/Kit	Ea	1	
Air compressor oil seal	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	6	
Feed pump complete	Ea	1	
Fan belt	Ea	1	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Spigot bearing	Ea	1	
Plug expansion (cam hole)	Ea	1	
Viscos unit with fan	Ea	1	
Sealant tube	Ea	1	
Sub Total			
VAT			
Grand Total			

## 30. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 1614 TURBO

S/NO	DESCRIPTION	<b>Unit Price</b>	Total	Price		
1	DISASSEMBLING OF ENGINE					
	Disassembling and inspection of each and ever	onents				
2	ENGINE HEAD					
	Engine head to be checked for cracks					
	Engine head to be phased					
	Valve seats to be refitted with valve					
	Valve guides to be refitted with					
	Rocker arm bush to be refitted					
3	ENGINE BLOCK					
	Engine block to be checked for cracks					
	Re sleeve to be done with sleeve					
	Check the line boring					
	Engine block to be phased					
4	CRANK SHAFT					
	Big end journal re-cutting					
	Main journal re-cutting					
	Crank end collar to be repaired (front & rear)					
5	CAM SHAFT					
	Cam shaft to be re-cut					
	Cam end collar to be repaired					
	Cam shaft bush to be refitted with bush					
6	CONNECTING ROD					
	Connecting rod to be checked					
	Gudgeon pin with bush to be refitted with bush					
7	AIR COMPRESSOR					
	Air compressor cylinder re- boring work to be d	one				
	Gudgeon pin bush to be refitted with bush					
	Air compressor crank shaft re cutting work to be	e done				
8	INJECTOR PUMP					
	Injector pump with injectors servicing or repair	with				
9	FINAL ASSEMBLING OF ENGINE					
10	Assembling and test running of the engine					
10	SPARES	G .	1			
	Piston with pin (Turbo)	Set	1			
	Piston rings (Turbo)	Set	1			
	Big end bearing	Set	1			
	Main bearing Inlet valve	Set	1			
		Ea Ea	6			
	Exhaust valve Ea 6					
	Crank shaft thrust plate Overhaul gasket kit complete	Set Ea	1			
	Crank oil seal (front & rear )	Ea	2			
	Air compressor con rod bearing	Set	1			
	Air compressor piston with rings	Set	1			
	Air compressor valve plate	Set	1			
	Air compressor R/Kit	Ea	1			

Air compressor oil seal	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	2	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	6	
Feed pump complete	Ea	1	
Fan belt	Ea	2	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Spigot bearing	Ea	1	
Plug expansion (cam hole)	Ea	1	
Viscos unit with fan	Ea	1	
Sealant tube	Ea	2	
Sub Total			
Vat			
Grand Total			

#### 31. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 909 TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGINE					
	Disassembling and inspection of each and every c	omp	onents			
2	ENGINE HEAD					
	Engine head to be checked for cracks					
	Engine head to be phased					
	Valve seats to be refitted with valve					
	Valve guides to be refitted					
	Rocker arm bush to be refitted					
3	ENGINE BLOCK					
	Engine block to be checked for cracks					
	Re sleeve to be done with sleeve Check the line boring					
	Engine block to be phased					
4	CRANK SHAFT					_
	Big end journal re-cutting					
	Main journal re-cutting				1	
	Crank end collar to be repaired (front & rear)					
5	CAM SHAFT					_
	Cam end coller to be repaired					
	Cam shaft to be re-cut					
	Cam shaft bush to be refitted					
6	CONNECTING ROD					
	Connecting rod to be checked					
	Gudgeon pin with bush to be refitted with bush					
7	AIR COMPRESSOR					
	Air compressor cylinder re- boring work to be don	ie				
	Gudgeon pin bush to be refitted with bush					
	Air compressor crank shaft re cutting work to be d	one				
8	INJECTOR PUMP					
	Injector pump servicing or repair with necessary p	arts				
9	FINAL ASSEMBLING OF ENGINE					
10	Assembling and test running of the engine					
10	SPARES Piston with pin (Turbo) S	et	1			
		et et	1			
		et et	1			
		et	1			
	Inlet valve E		4			
	Exhaust valve E		4			
		et	1			
	Overhaul gasket kit complete E		1			
	Crank oil seal (front & rear )	a	2			
		et	1			
		et	1			
		et	1		_	
	Air compressor R/Kit E	a	1		_	

Air compressor oil seal	Ea	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	2		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Injector nozzle	Ea	4		
Feed pump complete	Ea	1		
Fan belt	Ea	2		
Push rod bucket	Set	1		
Valve Oil seal	Set	1		
Cooling Fan	Ea	1		
Spigot bearing	Ea	1		
Sealant tube	Ea	2		
Sub Total				
Vat				
Grand Total				

#### 32. WORK SCOPE FOR THE ENGINE OVERHAUL OF - L/A/L 909 NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every of	comp	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				<u> </u>
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be dor	ne			
	Gudgeon pin bush to be refitted with bush				
	Air compressor crank shaft re cutting work to be d	lone			
8	INJECTOR PUMP				
	Injector pump servicing or repair (With necessary	spar	es)		
9	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
10	SPARES				
		et	1		
	8 \ /	et	1		
	E E	et	1		
	E	et	1		
		la	4		
		la	4		
	1	et	1		
	Overhaul gasket kit complete E	la	1		
		la	2		
	Air compressor con rod bearing S	et	1		
		et	1		
		et	1	1	
	· · · · · · · · · · · · · · · · · · ·	la	1	1	
	Air compressor oil seal E	la	1		

Water pump complete	Ea	1
Oil pump	Ea	1
Oil filter	Ea	1
Temperature sensor	Ea	1
Oil pressure switch	Ea	1
Injector nozzle	Ea	4
Feed pump complete	Ea	1
Fan belt	Ea	2
Push rod bucket	Set	1
Valve oil seal set	Ea	1
Cooling fan	Ea	1
Spigot bearing	Ea	1
Sealant tube	Ea	1
Sub Total		
Vat		
Grand Total		

## 33. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D 33

S/NO	DESCRIPTION	V		<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of ea	ch and every	7		
	components				
2	ENGINE HEAD				
	Engine head to be checked for crack				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crac	ks			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Balance shaft bush to be refitted				
4	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				-
	Main journal re-cutting	. 0			
~	Crank end collar to be repaired (from	nt & rear)			
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
-	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
7	Gudgeon pin with bush to be refitted INJECTOR PUMP	1			
/	Injector pump with injector servicin	a or ropoir w	<sub>zith</sub>		
	necessary parts	g of Tepair w	/1111		
8	FINAL ASSEMBLING OF ENGI	NF			
O	Assembling and test running of the				
9	SPARES				
	Piston with pin (Non Turbo)	Set	1		
	Piston rings (Non Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear)	Ea	2		

Oil filter	Ea	2		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Feed pump	Ea	1		
Fan belt	Ea	1		
Valve oil seal set	Ea	1		
Cooling fan	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat	_			
<b>Grand Total</b>				

#### 34. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D 31

S/NO	DESCRIPTION	1		Unit Price	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each	h and every			
	components	•			
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted.				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks	S			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Balance shaft bush to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be (front & rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bus	sh			
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted	with bush			
7	INJECTOR PUMP				
	Injector pump with injectors servicing				
	necessary parts				
8	FINAL ASSEMBLING OF ENGIN				
	Assembling and test running of the er	ngine			
9	SPARES				
	Piston with pin (Non Turbo)	Set	1		
	Piston rings (Non Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		

Oil filter	Ea	2		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Feed pump	Ea	1		
Fan belt	Ea	2		
Valve oil seal set	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

#### 35. WORK SCOPE FOR THE ENGINE OVERHAUL OF MITSUBISHI 4D 32

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of ea	ch and ever	y		
	components				
2	ENGINE HEAD				
	Engine head to be checked for crack	KS			
	Engine head to be phased				
	Valve seats to be refitted with valve	<del>,</del>			
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crac	ks			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (from	nt & rear)			
5	CAM SHAFT	,			
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted	d with bush	l		
7	INJECTOR PUMP				
	Injector pump with injectors servicing				
	necessary parts	C I			
8	FINAL ASSEMBLING OF ENGI	INE			
	Assembling and test running of the	engine			
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Oil filter	Ea	2		

Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Feed pump with fuel filter	Ea	1		
Fan belt	Ea	1		
Crank oil seal (front & rear)	Ea	1		
Vale oil seal	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat	·			
<b>Grand Total</b>				

#### 36. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TATA 1613 697D TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and eve	ery compo	nents		
2	ENGINE HEAD	J 1			
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Crank shaft crack to be checked				
	Big end journal re-cutting				
	Main journal re-cutting				
5	CAM SHAFT				
	Air compressor journal wear ness to be checked	ed & re cu	t		
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bus	h			
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be	done			
	Gudgeon pin with bush to be refitted with bus	h			
8	INJECTOR PUMP				
-	Injector pump servicing or repair with necessar	ry parts			
9	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
10	SPARES				
	Piston with pin (Turbo)	Set	1		
	Piston rings (Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1 1		
	Crank oil seal (front & rear )	Ea	2		
	Air compressor con rod bearing	Set	1		
	Air compressor piston with rings	Set	1 1	-	
	Air compressor valve plate	Ea	1		
	Air compressor R/Kit	Set	1		
	Spacer for vibration damper	Ea	1		
	Thrust washer cam timing wheel	Ea	1		

Plug expansion (Cam hole)	Ea	1		
Spigot bearing	Ea	1		
Water pump complete	Ea	1		
Oil pump	Ea	1		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Injector nozzle	Ea	6		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Push rod bucket	Set	1		
Sealant tube	Ea	2		
Sub Total				
Vat				
Grand Total				

# 37. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TATA 407

S/NO	DESCRIPTION		Unit Price	<b>Total Price</b>	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ev	ery com	onents		
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Rocker arm bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Crank shaft crack to be checked				
	Big end journal re-cutting				
	Main journal re-cutting				
5	CAM SHAFT				
	To be checked air compressor journal wear no				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush	sh			
7	AIR COMPRESSOR				
	Air compressor cylinder re- boring work to be				
	Gudgeon pin bush to be refitted with bush				
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repa				
	necessary parts				
9	FINAL ASSEMBLING OF ENGINE				
10	Assembling and test running of the engine				
10	SPARES	C - 4	1		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1 1		
	Main bearing Inlet valve	Set	4		
	Exhaust valve	Ea Ea	4		
		_			
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1 2		
	Crank oil seal (front & rear)	Ea			
	Air compressor con rod bearing	Set	1	]	

		1	7
Air compressor piston with rings	Set	1	
Air compressor valve plate	Set	1	
Air compressor R/Kit	Ea	1	
Spacer for vibration damper	Ea	1	
Thrust washer cam timing wheel	Ea	1	
Plug expansion (Cam hole)	Ea	1	
Spigot bearing	Ea	1	
Water pump complete	Ea	1	
Oil pump	Ea	1	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Injector nozzle	Ea	4	
Feed pump complete	Ea	1	
Fan belt	Ea	1	
Push rod bucket	Set	1	
Engine head water by pass metal line	Ea	1	
Cooling fan	Ea	1	
Power steering belt	Ea	1	
Valve oil seal set	Ea	1	
Sealant tube	Ea	3	
Sub Total	•	•	
Vat			
Grand Total		<u></u>	

# 38. WORK SCOPE FOR THE ENGINE OVERHAUL OF ISUZU 4JA1 ENGINE

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each	h and every	7		
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks	S			
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for crack	XS .			
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (from	t & rear)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing				
	necessary parts				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the e	ngine	T		
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Oil pump	Ea	1		
	Water pump complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Oil filter	Ea	1		

Temperature sensor	Ea 1		
Oil pressure switch	Ea 1		
Heater plug	Ea 4	1	
Injector nozzle	Ea 4	1	
Fan belt	Ea 1		
AC Belt	Ea 2	2	
Oil cap	Ea 1		
Timing idle wheel bearing	Ea 2	2	
Viscos unite with fan	Ea 1		
Valve oil seal set	Ea 1		
Sealant tube	Ea 1		
Sub Total			
Vat	-		
Grand Total	-		

# 39. WORK SCOPE FOR THE ENGINE OVERHAUL OF TATA DIMO SUPPER ACE

S/No	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and	every con	ponents		
2	ENGINE HEAD		•		
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Engine head bolt fixing thread to be repaired	ed			
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (Front & re	ear)			
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with	bush			
7	INJECTOR PUMP				
0	Injector pump with injector servicing or re	pair with n	ecessary		
8	FINAL ASSEMBLING OF ENGINE				
9	Assembling and test running of the engine SPARES				
9	Piston with pin	Cat	1		
		Set Set	1		
	Piston rings Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4	1	
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing (6302)	Ea	1		
	Oil pump	Ea	1		
	Water pump	Ea	1		
	Timing belt	Ea	1		
	Timing idler wheel	Ea	1		
	Timing belt adjuster	Ea	1		
	Oil filter	Ea	1		
	Temperature sensor	Ea	1		

Oil pressure switch	Ea	1			
Heater plug	Ea	4			
Injector nozzle	Ea	4			
Fan belt	Ea	1			
Push rod bucket	Set	1			
Sealant tube	Ea	1			
Sub Total	Sub Total				
Vat					
Grand Total					

# 40. WORK SCOPE FOR THE ENGINE OVERHAUL OF NISSAN URVAN ZD 30

S/No	DESCRIPTION		<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE			
	Disassembling and inspection of each	ch and every components		
2	ENGINE HEAD	<u> </u>		
	Engine head to be checked for crack			
	Engine head to be phased			
	Valve seats to be refitted with valve			
	Valve guides to be refitted			
	Water jacket to be refitted			
3	ENGINE BLOCK			
	Engine block to be checked			
	Re sleeve to be done with sleeve			
	Water jacket to be refitted			
	Engine block to be phased			
4	CRANK SHAFT			
	Main journal re-cutting			
	Big end journal re-cutting			
	Crank end coller to be repaired			
5	CAM SHAFT			
	Cam shaft to be re-cut			
	Cam end collar to be repaired			
	Cam shaft bush to be refitted			
6	ROCKER			
	Rocker bush to be re fitted			
7	CONNECTING ROD			
	Connecting rod to be checked			
	Gudgeon pin with bush to be refitted	with bush		
8	INJECTOR PUMP			
	Injector pump with injectors servicing	ng or repair with		
9	FINAL ASSEMBLING OF ENGI			
	Assembling and test running of the e	engine		
10	SPARES			
	Piston with pin	Set 1		
	Piston rings	Set 1		
	Big end bearing	Set 1		
	Main bearing	Set 1		
	Inlet valve	Ea 4		
	Exhaust valve	Ea 4		
	Crank shaft thrust plate	Set 1		
	Overhaul gasket kit complete	Ea 1 Ea 2		
	Crank oil seal (front & rear )			
	Spigot bearing Oil nump complete	Ea 1 1		
	Oil pump complete			
	Water pump complete Oil filter	Ea 1		
		Ea 1 1 Ea 1		
	Temperature sensor			
	Oil pressure switch	Ea 1		
	Air flow sensor Throttle position sensor	Ea 1 Ea 1		
	THIOME POSITION SENSOR	Ea   1		

Cam sensor	Ea	1		
Crank sensor	Ea	1		
Fan belt	Ea	2		
Ac belt	Ea	1		
Viscos unit with Fan	Ea	1		
Valve oil seal	Set	1		
Sealant tube	Ea	2		
Sub Total				
Vat				
Grand Total				

# 41. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 2L TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and e	very			
	components	•			
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted with valve guides				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
•	Big end journal re-cutting				
	Main journal re-cutting				-
	Crank end collar to be repaired (front & rear	)			
5	CAM SHAFT	/			
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
0	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or rep	air with	1		
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES		•		
	Piston with pin (Turbo)	Set	1		
	Piston rings (Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	<u>l</u>		
	Cam shaft bearing	Set	<u> </u>		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1	+	
	Timing belt	Еа	1 1	+	
	Timing belt Timing belt adjuster	Еа	1	+	
	Timing belt adjuster  Timing belt idler wheel	Ea	1	+	
	Water pump	Ea	1	1	
	Oil pump	Ea	1	1	
	1 b				

Crank oil seal (Front & Rear)	Ea	2		
Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	1		
Viscos unit with Fan	Ea	1		
Valve oil seal	Set	1		
Cam oil seal	Ea	1		
Crank timing wheel	Ea	1		
Ac belt	Ea	1		
Power steering belt	Ea	1		
Injector overflow motel line	Ea	1		
Hater plug connecting plate	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

# **42.** WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 2C NON TURBO

S/NO	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and ever	ry			
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve)				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or repair	with			
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES	1 0			
	Piston with pin (Non Turbo)	Set	1		
	Piston rings (Non Turbo)	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate Overhaul gasket kit complete	Set Ea	1		
	Spigot bearing	Ea	1		
	Timing belt	Ea	1		
	Timing belt Timing belt adjuster	Ea	1		
	Timing belt adjuster  Timing belt idler wheel	Ea	1		
	Water pump	Ea Ea	1		
	Oil pump	Ea	1		
	Crank oil seal ( Front & Rear)	Ea	2		
	Oil filter	Ea	1		
	Temperature sensor	Ea	1		
	Temperature sensor		1 1	l .	<u> </u>

Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fuel cut off switch	Ea	1		
Fan belt	Ea	2		
Viscos unit with Fan	Ea	1		
Valve oil seal	Set	1		
Cam oil seal	Ea	1		
Crank timing wheel	Ea	1		
Ac belt	Ea	1		
Power steering belt	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

# 43. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 3L NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total	Price
1	DISASSEMBLING OF ENGINE					
	Disassembling and inspection of each and ever	V				
	components	J				
2	ENGINE HEAD					
	Engine head to be checked for cracks					
	Engine head to be phased					
	Valve seats to be refitted with valve					
	Valve guides to be refitted					
	Water jacket to be refitted					
3	ENGINE BLOCK					
	Engine block to be checked for cracks					
	Re sleeve to be done with sleeve					
	Check the line boring					
	Engine block to be phased					
4	CRANK SHAFT					
	Big end journal re-cutting					
	Main journal re-cutting					
	Crank end collar to be repaired (front & rear)					
5	CAM SHAFT					
	Cam shaft to be re-cut					
	Cam end collar to be repaired					
	Cam shaft bush to be refitted					
6	CONNECTING ROD					
	Connecting rod to be checked					
	Gudgeon pin with bush to be refitted with bush					
7	INJECTOR PUMP					
	Injector pump with injectors servicing or repair	with				
	necessary parts					
8	FINAL ASSEMBLING OF ENGINE					
	Assembling and test running of the engine					
9	SPARES		1			
	Piston with pin (Non Turbo)	Set	1			
	Piston rings (Non Turbo)	Set	1			
	Big end bearing	Set	1			
	Main bearing	Set	1			
	Inlet valve	Ea	4			
	Exhaust valve	Ea	4		-	
	Crank shaft thrust plate	Set	1			
	Overhaul gasket kit complete	Ea	1			
	Spigot bearing Timing halt	Ea Ea				
	Timing belt		1			
	Timing belt adjuster	Ea	1		-	
	Timing belt idler wheel	Ea	1		-	
	Water pump	Ea	1			
	Oil pump	Ea	1	+		
	Crank oil seal (Front & Rear)	Ea	2			

Oil filter	Ea	1		
Temperature sensor	Ea	1		
Oil pressure switch	Ea	1		
Heater plug	Ea	4		
Injector nozzle	Ea	4		
Fan belt	Ea	1		
Ac belt	Ea	2		
Viscos unit with Fan	Ea	1		
Cam shaft bearing	Set	1		
Valve oil seal	Set	1		
Cam oil seal	Ea	1		
Crank timing wheel	Ea	1		
Power steering belt	Ea	1		
Injector overflow meteal line set	Ea	1		
Heater plug connecting plate	Ea	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

### 44. WORK SCOPE FOR THE ENGINE OVERHAUL OF BENZ MB 140D

S/No	DESCRIPTION		<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Main journal re-cutting				
	Big end journal re-cutting				
	Crank end coller to be repaired				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be re fitted with bush				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or repair w	ith nece	essary		
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	Fitting Fan belt adjuster for timing covers repair				
	SPARES	1	1		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	5		
	Exhaust valve	Ea	5		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Crank oil seal (front & rear )	Ea	2		
	Spigot bearing Western average associates	Ea	1		
	Water pump complete	Ea	1		
	Oil filtor	Ea	1		
	Oil filter	Ea			
	Oil pressure switch	Ea	1		
	Temperature sensor	Ea	1		
	Injector nozzle	Ea	5		
	Fan belt	Ea	1		
	Viscos unit with Fan	Ea	1		

Heater plug	Ea	5		
Timing chain	Ea	1		
Timing chain adjuster	Ea	1		
Timing chain guard	Ea	2		
Fly wheel & disc complete	Ea	1		
Clutch plate	Ea	1		
Pressure plate	Ea	1		
Release bearing	Ea	1		
Clutch hub	Ea	1		
Valve oil seal	Set	1		
Fan belt adjuster with spring	Ea	1		
Injector overflow line	Set	1		
Sealant tube	Ea	1		
Sub Total	·			
Vat				
Grand Total				

# 45. WORK SCOPE FOR THE ENGINE OVERHAUL OF BENZ MB 100D

S/N	DESCRIPTION		<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGIN				
	Disassembling and inspection of	each and	deverv		
	components		<b>.</b>		
2	ENGINE HEAD				
	Engine head to be checked for cra	acks			
	Engine head to be phased				
	Valve seats to be refitted with va	lve			
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for ca	racks			
	Re sleeve to be done with sleeve				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Main journal re-cutting				
	Big end journal re-cutting				
	Crank end coller to be repaired				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be re f	itted with	n bush		
7	INJECTOR PUMP				
	Injector pump with injectors serv	icing or i	repair with		
	necessary parts				
8	FINAL ASSEMBLING OF EN				
	Assembling and test running of the				
9	Fitting Fan belt adjuster for timin	g covers	repair		
	SPARES		T		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1 7		
	Inlet valve	Ea	5		
	Exhaust valve	Ea	1		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete Crank oil seal (front & rear )	Ea	1 2		
	Spigot bearing	Ea Ea	2		
	Water pump complete	Ea	1		
	Oil pump complete	Ea	1		
	Timing chain	Ea	1		
	Timing chain adjuster	Ea	1		
	Timing chain guard	Ea	2		
	Oil filter	Ea	1		
	Oil pressure switch	Ea	1		

Temperature sensor	Ea	1		
Injector nozzle	Ea	5		
Fan belt	Ea	1		
Heater plug	Ea	5		
Viscos unit with Fan	Ea	1		
Fly wheel & disc complete	Ea	1		
Clutch plate	Ea	1		
Pressure plate	Ea	1		
Release bearing	Ea	1		
Clutch hub	Ea	1		
Valve oil seal	Set	1		
Fan belt adjuster with spring	Ea	1		
Injector overflow line	Set	1		
Sealant tube	Ea	1		
Sub Total				
Vat				
Grand Total				

# 46. WORK SCOPE FOR THE ENGINE OVERHAUL OF NISSAN TD 42 CIVILIAN

S/No	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and	every			
	components				
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted with valve guide	es			
	Water jacket to be refitted				
3	ENGINE BLOCK				
-	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Cam bush to be re fitted with bush				
	Water jacket to be refitted				
	Engine block to be phased				
4	CRANK SHAFT				
	Main journal re-cutting				
	Big end journal re-cutting				
	Crank end coller to be repaired				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted with bush				
6	ROCKER				
	Rocker bush to be re fitted with bush				
7	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with b	oush			
8	INJECTOR PUMP				
	Injector pump with injectors servicing or re	epair wi	th		
9	FINAL ASSEMBLING OF ENGINE				
1.0	Assembling and test running of the engine				
10	SPARES	l a	1		
	Piston with pin	Set	1		
	Piston rings	Set	1 1		
	Big end bearing	Set	1 1		
	Main bearing	Set	1		
	Inlet valve	Ea	6		
	Exhaust valve	Ea	6		
	Crank shaft thrust plate Overhaul gasket kit complete	Set	1		
	Crank oil seal (front & rear )	Ea Ea	2		1
	Spigot bearing	Ea	1		
	Viscos unit with Fan	Еа	1		
	Oil pump complete	Еа	1		
	Water pump complete	Еа	1		
	Oil filter	Ea	2		
	Oil pressure switch	Ea	1		
	Temperature sensor	Ea	1		
	10mperature sensor	பவ	1		1

Injector nozzle	Ea	6		
Fan belt	Ea	2		
AC belt	Ea	1		
Power steering belt	Ea	1		
AC belt adjuster bearing(6304)	Ea	1		
Valve oil seal	Set	1		
Heater plug	Ea	6		
Sealant tube	Ea	1		
Sub Total				
VAT			_	
<b>Grade Total</b>				

# 47. WORK SCOPE FOR THE ENGINE OVERHAUL OF TAFE TRACTOR

S/ NO	DES	SCRIPTION			Unit Price	<b>Total Price</b>
1	DIS	ASSEMBLING OF ENGINE				
	Disa	assembling and inspection of each and ev	ery			
	com	ponents				
2	EN	GINE HEAD				
		pet cover mounting stud to be repair				
		ine head to be checked for cracks				
	Eng	ine head to be phased				
		ve seats to be refitted with valve				
	_	ve guides to be refitted				
3		GINE BLOCK				
		ine block to be checked				
		sleeve to be done with sleeve				
		ck the line boring				
	Eng	ine block to be phased ine head bolt fixing thread to be repaired				
4		er jacket to be refitted				
4		ANK SHAFT end journal re-cutting				
		n journal re-cutting				
		nk end collar to be repaired (front & rear)				
5		CAM SHAFT				
		n end coller to be repaired				
		1 shaft to be re-cut				
		n shaft bush to be refitted				
6		NNECTING ROD				
-		necting rod to be checked				
		lgeon pin with bush to be refitted				
7		ECTOR PUMP				
	Inje	ctor pump with injectors servicing or repa	air with			
8	FIN	AL ASSEMBLING OF ENGINE				
		embling and test running of the engine				
9	_	ssure plate mounting fly wheel bolt to be	check ar	<u>ıd</u>		
10	SPA	RES	T =	1.		
	1	Piston with pin	Set	1		
	2	Piston rings	Set	1		
	3	Big end bearing	Set	1		
	5	Main bearing Inlet valve	Set Ea	3		
	6	Exhaust valve	Ea	3		
	7	Crank shaft thrust plate	Set	1		
	8	Overhaul gasket kit complete	Ea	1		
	9	Valve Oil Seal Set	Ea	1		
	10	Spigot bearing (6302)	Ea	$\frac{1}{1}$		
	11	RPM meter cable housing oil seal	Ea	1		
	12	Oil pump	Ea	1		
	13	Water pump	Ea	1		
	14	Crank oil seal (Front & rear)	Ea	2		

16	Temperature sensor	Ea	1				
17	Oil filter	Ea	1				
18	Oil pressure switch	Ea	1				
19	Injector nozzle	Ea	3				
20	Feed pump	Ea	1				
21	Fan belt	Ea	1				
22	Cooling fan	Ea	1				
23	Sealant tube	Ea	2				
<b>Sub Total</b>	Sub Total						
Vat							
<b>Grand To</b>							

# 48. WORK SCOPE FOR THE ENGINE OVERHAUL OF – JHON DEER TRACTOR

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and eve	rv			
	components	J			
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
3	ENGINE BLOCK				
-	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Engine head bolt fixing thread to be repaired				
	Water jacket to be refitted				
4	CRANK SHAFT				
•	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
-	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush	1			
7	INJECTOR PUMP				
	Injector pump servicing or repair with necessar	y parts			
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	SPARES				
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Set	1		
	Exhaust valve	Set	1		
	Crank shaft thrust plate	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	RPM meter sensor	Ea	1		
	Oil pump	Ea	1		
	Water pump	Ea	1		
	Crank oil seal (Front & rear)	Ea	2		
	Temperature sensor	Ea	1		
	Oil filter	Ea	1		
	Oil pressure switch	Ea	1		
	Injector nozzle	Ea	3		

Feed pump	Ea	1	
Fan belt	Ea	1	
Valve oil seal	Set	1	
Cooling fan	Ea	1	
Sealant tube	Ea	1	
Sub Total			
VAT	·		
Grade Total			

# 49. WORK SCOPE FOR THE ENGINE OVERHAUL OF – MAHINDRA TRACTOR

S/NO	DESCRIPTION			<b>Unit Price</b>	<b>Total Price</b>
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each a	and every			
	components	J			
2	ENGINE HEAD				
<del></del>	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Engine head bolt fixing thread to be rep	aired			
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front &				
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
7	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing o				
	necessary spares				
8	FINAL ASSEMBLING OF ENGINE				
-	Assembling and test running of the engi	ne			
9	SPARES		1		
	1 Piston with pin 2 Piston rings	Set	1		
	· · · · · · · · · · · · · · · · · · ·	Set			
	<ul><li>3 Big end bearing</li><li>4 Main bearing</li></ul>	Set Set	1 1		<del> </del>
	5 Inlet valve	Ea	3		
	6 Exhaust valve	Ea Ea	3		
			1		
	<ul><li>7 Crank shaft thrust plate</li><li>8 Overhaul gasket kit complete</li></ul>	Set	1		
	8 Overhaul gasket kit complete 9 Valve Oil Seal Set	Ea Ea	1		
	10 Spigot bearing (6302)	Ea	1		
	11 RPM meter cable housing oil seal	Ea	1		
	12 Oil pump	Ea	1		
	* *		1		
	<ul><li>Water pump</li><li>Crank oil seal (Front &amp; rear)</li></ul>	Ea Ea	2		
	16 Temperature sensor	Ea Ea	$\frac{2}{1}$		
	17 Oil filter				
	11 On mei	Ea	1		1

18	Oil pressure switch	Ea	1		
19	Injector nozzle	Ea	3		
20	Feed pump	Ea	1		
21	Fan belt	Ea	1		
22	Cooling Fan	Ea	1		
23	Sealant tube	Ea	1		
Sub Total					
VAT					
<b>Grand Tota</b>	ıl				

# 50. WORK SCOPE FOR THE ENGINE OVERHAUL OF - MF 240 TRACTOR

S/ NO	DESCRIPTION			Unit Price	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and				
	components				
2	ENGINE HEAD				
	Tappet cover mounting stud to be repair				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased	1			
	Engine head bolt fixing thread to be repaire	d			
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rea	r)			
5	CAM SHAFT				
	Cam end coller to be repaired				
	Cam shaft to be re-cut				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked  Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
	Injector pump with injectors servicing or re	nair with			
8	FINAL ASSEMBLING OF ENGINE	pan wini			
	Assembling and test running of the engine				
9	Pressure plate mounting fly wheel bolt to be	e check a	nd		
10	SPARES				
10	1 Piston with pin	Set	1		
	2 Piston rings	Set	1		
	3 Big end bearing	Set	1		
	4 Main bearing	1			
	5 Inlet valve	Set Ea	3		
	6 Exhaust valve				
	7 Crank shaft thrust plate	Ea Set	3		
	8 Overhaul gasket kit complete	Ea	1		
	9 Valve Oil Seal Set	Ea	1		
	10 Spigot bearing (6302)	Ea	1		
	11 RPM meter cable housing oil seal	Ea	1		
	12 Oil pump	Ea	1		
	13 Water pump	Ea	1		

14	Crank oil seal (Front & rear)	Ea	2		
16	Temperature sensor	Ea	1		
17	Oil filter	Ea	1		
18	Oil pressure switch	Ea	1		
19	Injector nozzle	Ea	3		
20	Feed pump	Ea	1		
21	Fan belt	Ea	1		
22	Rpm meter cable housing	Ea	1		
23	Cooling fan	Ea	1		
24	Sealant tube	Ea	1		
Sub Total				_	
Vat					
<b>Grand Tota</b>	1				

# 51. WORK SCOPE FOR THE ENGINE OVERHAUL OF – TATA 207 DI NON TURBO

S/NO	DESCRIPTION			<b>Unit Price</b>	Total Price
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and	d everv			
	components	J			
2	ENGINE HEAD				
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be refitted				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & re				
5	CAM SHAFT				
	Air compressor journal wear ness to be ch				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted with bush				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted				
7	INJECTOR PUMP				
-	Injector pump with injectors servicing or				
8	FINAL ASSEMBLING OF ENGINE				
	Assembling and test running of the engine				
9	AIR COMPRESSOR				
	Air compressor cylinder re-boring work to				
10	Gudgeon pin with bush to be refitted with	DUSII			+
10	SPARES Piston with pin	Set	1		+
	Piston rings	Set	1		
	Big end bearing	Set	1		
	Main bearing	Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Air compressor con rod bearing	Set	1		1
	Air compressor piston with rings	Set	1		
	Air compressor valve	Set	1		
	Air compressor R/Kit	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		

Water pump	Ea	1	
Oil pump	Ea	1	
Crank oil seal (Front & Rear)	Ea	2	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	1	
Alternator belt	Ea	2	
Feed pump	Ea	1	
Push rod bucket	Set	1	
Valve oil seal	Set	1	
Cooling fan	Ea	1	
Thrust washer cam timing wheel	Ea	1	
Plug expansion (cam hole)	Ea	1	
Spacer for vibration damper	Ea	1	
Engine head water by pass metal line	Ea	1	
Sealant tube	Ea	1	
Sub Total			
VAT			
Grade Total			

# 52. WORK SCOPE FOR THE ENGINE OVERHAUL OF - TOYOTA 5L NON TURBO

S/NO	DESCRIPTION		<b>Unit Price</b>	Total Price	
1	DISASSEMBLING OF ENGINE				
	Disassembling and inspection of each and every	compoi	nents		
2	ENGINE HEAD	<del></del>			
	Engine head to be checked for cracks				
	Engine head to be phased				
	Valve seats to be refitted with valve				
	Valve guides to be refitted				
	Water jacket to be refitted				
	Rocker bush to be refitted				
3	ENGINE BLOCK				
	Engine block to be checked for cracks				
	Re sleeve to be done with sleeve				
	Check the line boring				
	Engine block to be phased				
	Water jacket to be				
4	CRANK SHAFT				
	Big end journal re-cutting				
	Main journal re-cutting				
	Crank end collar to be repaired (front & rear)				
5	CAM SHAFT				
	Cam shaft to be re-cut				
	Cam end collar to be repaired				
	Cam shaft bush to be refitted				
6	CONNECTING ROD				
	Connecting rod to be checked				
	Gudgeon pin with bush to be refitted with bush				
7	FINAL ASSEMBLING OF ENGINE				
0	Assembling and test running of the engine				
8	INJECTOR PUMP				
	Injector pump with injectors servicing or repair w				
	parts				
9	SPARES Distance with min	Cat	1 1		
	Piston with pin	Set	1		
	Piston rings	Set	1		
	Big end bearing Main bearing	Set Set	1		
	Inlet valve	Ea	4		
	Exhaust valve	Ea	4		
	Crank shaft thrust plate	Set	1		
	Cam shaft bearing	Set	1		
	Overhaul gasket kit complete	Ea	1		
	Spigot bearing	Ea	1		
	Timing belt	Ea	1		
	Timing belt adjuster	Ea	1		
	Timing belt idler wheel	Ea	1		
	Water pump	Ea	1		

Oil pump	Ea	1	
Crank oil seal (front & rear )	Ea	2	
Oil filter	Ea	1	
Temperature sensor	Ea	1	
Oil pressure switch	Ea	1	
Heater plug	Ea	4	
Injector nozzle	Ea	4	
Fan belt	Ea	1	
Viscos unit with Fan	Ea	1	
Valve oil seal	Set	1	
Cam oil seal	Ea	1	
Crank timing wheel	Ea	1	
Sealant tube	Ea	2	
AC belt	Ea	1	
Power steering belt	Ea	1	
Injector overflow metal line	Ea	1	
Heater plug connecting plate	Ea	1	
Sub Total			
VAT	•	•	
Grade Total			

#### **TERMS AND CONDITIONS**

The undermentioned terms and conditions required to specified

- a. The engine is available at MTR&OW SLAF Kat and repair agent is required to check the engine physically prior to submitting the quotation.
- b. If additional repairs or replacement of spares are observed by the supplier, it is to be clearly included in the quotation.
- c. Removed unserviceable spares during the repair are to be handed over to SLAF at the acceptance of engine after repairs.
- d. Facilities are to be provided for the SLAF technicians to visit the repair agent during the process of the repair.
- e. Any additional supplementary estimate will not be entertained for any defects found during the repair and warranty to be on total FOC basis.
- f. The complete overhaul repair of engine will be accepted after a performance check carried out by SLAF.
- g. <u>Minimum</u> 50,000 Km for Engine and <u>one (01) Year warranty</u> period to be awarded by the supplier for the necessary repairs and replacement. <u>Brand name of the replacement items, country of origin, validity period (01 Jan 25 to 31 Dec 25), credit facility and repair duration (30 Days) should be specified.</u>
- h. All offered suppliers will be evaluated subjected to a **facility audit** by a team of SLAF officers.
- j. After completion of the repairs, test running to be carried out at repair agency and <u>test report</u> is to be provided to SLAF as per the following format. (Minimum of 24 hrs of test running idling speed 12 Hrs High RPM 12 Hrs.) Further, supplier is to be facilitated necessary component / spares for the test running. (SLAF not provided Starter Motor, Alternator, etc....).
- k. While assembling the engine, all the nut and bolts which are unavailable must be replaced with new nut and bolts
- l. Supplier to be submitted of the specifications sheet to SLAF on collection of the item after completion of the overhaul. The format is as follows.

Oil pressure:									
Test Running Duration:	Test Running Duration:								
Engine Temperature:									
Water Pressure:									
Engine Compression									
<b>Engine Cylinder</b>	No 1	No 2	No 3	No 4	No 5	No 6	STD	Max	Min
Pressure (bar/psi) - Dry									
Pressure (bar/psi) - Wet									

S/No	Components	STD Size (mm)	Existing Size (before repair- mm)	Present Size (after repair- mm)
01	Engine Head			
02	Engine Block			
03	Crank Shaft			
04	Cam Shaft			
05	Piston			
06	Piston Sleeve/ Bore			
07	Air Compressor Bore			
08	Air Compressor Piston			
09	Air compressor Crank Shaft			
10	Main Bearing			
11	Began Bearing			
12	Cam Bearing			

# SPECIFICATION NEED TO BE REVISED

# SECTION VII – ACTIVITY SCHEDULE

S/No	Epas No Description		D of Qty	Qty	Period of Validity of Prices 01 <sup>st</sup> January 2025 To 31 <sup>st</sup> December 2025			
					Unit Price (Rs.)	VAT (Rs) (%)	Unit Price with VAT(Rs)	
1	J0(SLAF2722006 665)	Engine Overhaul Of - Mitsubishi 4D56 Turbo	Ea	1.00				
2	J0(SLAF2722011 009)	Engine Overhaul of - Bolero Jeep/Single Cab Turbo	Ea	1.00				
3	J0(SLAF2732010 046)	Engine Overhaul of - L/A/L 709D Turbo	Ea	1.00				
4	J0(SLAF2732034 032)	Engine Overhaul of - TATA 1313 697D Turbo	Ea	1.00				
5	J13(SLAF270100 6002)	Engine Overhaul Of - Toyota 2C Turbo	Ea	1.00				
6	J13(SLAF270100 7069)	Engine Overhaul of - Toyota 3L Turbo	Ea	1.00				
7	J13(SLAF270200 1131)	Engine Overhaul of - Tata 1210 692 D	Ea	1.00				
8	J13(SLAF270500 4321)	Engine Overhaul of - L/A/L Ecomet	Ea	1.00				
9	J13(SLAF270501 5014)	Engine Overhaul of - British Leyland EO402	Ea	1.00				
10	J13(SLAF270502 0036)	Engine Overhaul Of - L/A/L 401,402 Non Turbo	Ea	1.00				
11	J13(SLAF270602 2102)	Engine Overhaul of - Tata Cummins	Ea	1.00				
12	J13(SLAF270900 4022)	Engine Overhaul of - L/A/L W06D Non Turbo Hino	Ea	1.00				
13	J13(SLAF270900 4025)	Engine Overhaul of - L/A/L 709D Non Turbo	Ea	1.00				
14	J13(SLAF270900 4375)	Engine Overhaul of - L/A/L W06D Turbo Hino	Ea	1.00				
15	J13(SLAF271200 2123)	Engine Overhaul Of - Toyota Coaster 1HZ	Ea	1.00				
16	J13(SLAF271200 4139)	Engine Overhaul Of - Mazda WL	Ea	1.00				
17	J13(SLAF271200 5237)	Engine Overhaul of - Mitsubishi 4D55 Pajero	Ea	1.00				
18	J13(SLAF271200 5417)	Engine Overhaul of - Mitsubishi 4D56 Non Turbo	Ea	1.00				
19	J13(SLAF271200 7017)	Engine Overhaul of - Toyota 2L Non Turbo	Ea	1.00				
20	J13(SLAF272200 3098)	Engine Overhaul Of - Nissan TD 27	Ea	1.00				

	J13(SLAF272200	Engine Overhaul Of - Maruti	Ea		
21	5002)	Suzuki SX4 M16AN/DOHC		1.00	
22	J13(SLAF272200 9003)	Engine Overhaul Of - Toyota 5L Turbo	Ea	1.00	
23	J13(SLAF272201 8594)	Engine Overhaul of - Land Rover Defender Non TDI	Ea	1.00	
24	J13(SLAF272202 0048)	Engine Overhaul Of - Land Rover Defender 300 TDI	Ea	1.00	
25	J13(SLAF272800 1076)	Engine Overhaul of - Bolero Jeep/Single cab Non Turbo	Ea	1.00	
26	J13(SLAF272800 3321)	Engine Overhaul of - TATA 207 DI Turbo	Ea	1.00	
27	J13(SLAF272800 4112)	Engine Overhaul of - JMC Cab/Truck	Ea	1.00	
28	J13(SLAF273201 1594)	Engine Overhaul Of - L/A/L 1618 Turbo	Ea	1.00	
29	J13(SLAF273201 1740)	Engine Overhaul of - L/A/L 1614 Non Turbo	Ea	1.00	
30	J13(SLAF273201 3048)	Engine Overhaul of - L/A/L 1614 Turbo	Ea	1.00	
31	J13(SLAF273201 3193)	Engine Overhaul of - L/A/L 909 Turbo	Ea	1.00	
32	J13(SLAF273201 3194)	Engine Overhaul of - L/A/L 909 Non Turbo	Ea	1.00	
33	J13(SLAF273202 0038)	Engine Overhaul Of - Mitsubishi 4D 33	Ea	1.00	
34	J13(SLAF273202 0039)	Engine Overhaul Of - Mitsubishi 4D 31	Ea	1.00	
35	J13(SLAF273202 0325)	Engine Overhaul of - Mitsubishi 4D 32	Ea	1.00	
36	J13(SLAF273203 2041)	Engine Overhaul of - TATA 1613 697D Turbo	Ea	1.00	
37	J13(SLAF273203 3002)	Engine Overhaul of - Tata 407	Ea	1.00	
38	J13(SLAF273204 9055)	Engine Overhaul of - Isuzu 4JA1 engine	Ea	1.00	
39	J13(SLAF273205 5098)	Engine Overhaul Of - Tata Dimo Supper ACE	Ea	1.00	
40	J13(SLAF273300 8087)	Engine Overhaul Of - Nissan Urvan ZD 30	Ea	1.00	
41	J13(SLAF273300 9148)	Engine Overhaul Of - Toyota 2L Turbo	Ea	1.00	
42	J13(SLAF273300 9659)	Engine Overhaul of - Toyota 2C Non Turbo	Ea	1.00	
43	J13(SLAF273301 1001)	Engine Overhaul of - Toyota 3L Non Turbo	Ea	1.00	
44	J13(SLAF273301 3128)	Engine Overhaul Of - Benz MB 140D	Ea	1.00	
45	J13(SLAF273301	Engine Overhaul Of - Benz	Ea	1.00	

	3129)	MB 100D				
46	J13(SLAF273301	Engine Overhaul of - Nissan	Ea	1.00		
	5049)	TD 42 Civilion		1.00		
47	J13(SLAF273400	Engine Overhaul of - Tafe	Ea	1.00		
	3457)	tractor		1.00		
48	J13(SLAF273400	Engine Overhaul of - Jhon	Ea	1.00		
40	4171)	Deer Tractor				
49	J13(SLAF273400	Engine Overhaul of -	Ea	1.00		
49	8246)	Mahindra Tractor		1.00		
50	J13(SLAF281505	Engine Overhaul Of - MF 240	Ea	1.00		
30	4017)	Tractor		1.00		
51	J13(SLAF281505	Engine Overhaul of - Tata 207	Ea	Ea 1.00		
	4022)	DI Non Turbo		1.00		
52	J13SLAF2733009	Engine Overhaul of - Toyota	Ea	1.00		
32	721	5L Non Turbo		1.00		

#### **IMPORTANT**

- \* The price schedule shall be authenticated by the BIDDER.
- \* The BIDDER shall ensure that all the details provided herein are 100% accurate.
- \* It is mandatory that the unit price of the article or service be inclusive of NBT Tax, if applicable. Based on that, VAT shall be indicated separately in the price schedule.
- \* Please indicate the details listed below with regard to the above items.
- \* The details of the bid is submitted, shall be clearly marked on the sealed envelope and the bid. The detail of the location is also required to be specified in the price schedule. The prospective Bidders shall be aware that they shall include all their expenses with all taxes including VAT and other levies in the quotations submitted.

# **Special Note**

Pre-bid meeting will be held on ......2024

# **IMPORTANT**

ADDRESS				
TELEPHONE NUMBER				
FAX NUMBER				
VAT REGISTRATION LETTER (applicable for VAT payees)	YES / NO	VAT REGISTRATION NUMBER :		
VAT EXCEPTION LETTER ATTACHED (applicable for non VAT payees)	YES /	NO		
VALIDITY OF BID till 31 December 2025	YES / I	NO		
VALIDITY OF BID BOND till 31 July 2025	YES / I	NO		
BID BOND NO				
DELIVERY PERIOD				
DISCOUNT OFFERED	YES / NO			
Contact details of the BIDDER				
Name:				
Address:	•••••			
		,		
Tel:/				
Date	Signature o	of BIDDER		
	Affix Comp	oany Rubber Seal		

#### **SECTION VIII - SECURITY FORMS**

#### **Bid Security (Bank Guarantee)**

Whereas, [name of Bidder] (hereinafter called "the Bidder") has submitted his Bid dated [date] for providing Services for [name of Contract] (hereinafter called "the Bid").

Know all people by these presents that We [name of Agency] having our registered office at [address] (hereinafter called "the Bank") are bound unto name of Employer] (hereinafter called "the Employer") in the sum of [The Bidder should insert the amount of the Guarantee in words and figures] for which payment well and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

Sealed with the Common Seal of the said Bank this [day] day of [month, [year].

The conditions of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid; or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Employer during the period of Bid validity:
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
  - (c) does not accept the correction of the Bid Price pursuant to Clause 22,

we undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer's having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date [Usually 28 days after the end of the validity period of the Bid.] days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

Date	Signature of the Bank	
Witness	Seal _	

#### **Performance Bank Guarantee (Unconditional)**

To: [name and address of Employer]

Whereas [name and address of Service Provider] (hereinafter called "the Service Provider") has undertaken, in pursuance of Contract No. [number] dated [date] to execute [name of Contract and brief description of Services] (hereinafter called "the Contract");

And whereas it has been stipulated by you in the said Contract that the Service Provider shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

And whereas we have agreed to give the Service Provider such a Bank Guarantee;

Now therefore we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Service Provider, up to a total of [amount of Guarantee] [amount in words], such sum being payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Service Provider before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Services to be performed there under or of any of the Contract documents which may be made between you and the Service Provider shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until a date 28 days from the date of issue of the Certificate of Completion.

Signature and seal of the Guarantor	
Name	of Bank
Address	Date

# **INVITATION FOR BIDS**



# PROCUREMENT OF GOODS AND SERVICES FOR THE SRI LANKA AIR FORCE

 The Chairman, Department Procurement Committee (DPC) of the Sri Lanka Air Force invites sealed Bids from eligible and qualified bidders to purchase under mentioned Goods & Services for the Sri Lanka Air Force. Details of the Procurement as follows;

		the Sit Lanka Air Force. Details of the Procurement as follows;					
S/ No.	Procurement Identification Number	Description	Date and Time for Pre Bid Meeting	Bid Security Value & Period	Last Date of Issuing of Bidding Documents	Non Refundable Fee (Rs.)	Date and time of Bid closing / opening
01	AHQ/24/PUB/MIS/1010	Annual rate Approval for the Purchase of Dog Food - Year 2025	18 November at 0930 hrs	31 July 2025 Rs. 150,000.00	25 November 2024	12,500.00	26 November 2024 at 1030 hrs
02	AHQ/24/PUB/MIS/1011	Annual rate Approval for the Purchase of Horse Food - Year 2025	18 November 2024 at 1000 hrs	31 July 2025 Rs. 150,000.00	25 November 2024	3,500.00	26 November 2024 at 1030 hrs
03	AHQ/24/PUB/MIS/1007	Annual Contract to obtain Janiforbi Services for SLAF Hospital Diyatalawa for year 2025	18 November 2024 at 1030 hrs	31 July 2025 Rs. 150,000.00	25 November 2024	2,000.00	26 November 2024 at 1030 hrs
04	AHQ/24/PUB/B&CE/1012	Annual Contract for the Supply of General Hardware Items (Chemical and Water Proofing) to the Sri Lanka Air Force for Year 2025	18 November 2024 at 1100 hrs	31 July 2025 Rs. 100,000.00	25 November 2024	2,000.00	26 November 2024 at 1030 hrs
05	AHQ/24/PUB/MBE/1002	Annual Contract for the Supply of Lightning Arrestor Hems to the Sri Lanka Air Force for Year -2025	18 November 2024 at 1130 hrs	31 July 2025 Rs. 100,000.00	25 November 2024	2,000.00	26 November 2024 at 1030 hrs
06	AHQ/24/PUB/D/1001	Rate Approval of Cleaning Materials for Year 2025	19 November 2024 at 0900 hrs	31 July 2025 Rs. 150,000.00	26 November 2024	12,500.00	27 November 2024 at 1030 hrs
07	AHQ/24/PUB/D/1002	Rate Approval of Floor Polish & Floor Wax for Year 2025	19 November 2024 at 0930 hrs	31 July 2025 Rs. 150,000.00	26 November 2024	12,500.00	27 November 2024 at 1030 hrs
08	AHQ/24/PUB/D/1003	Annual Contract to Rate Approval of Purchase of Oil and Lubricants for Year 2025	19 November 2024 at 1000 hrs	31 July 2025 Rs. 150,000.00	26 November 2024	12,500.00	27 November 2024 at 1030 hrs
09	AHQ/24/PUB/M8E/1007	Annual Contract for the Supply of Lamp Fittings to the SLAF for Year 2025	20 November 2024 at 0900 hrs	31 July 2025 Rs. 100,000.00	27 November 2024	2,000.00	28 November 2024 at 1030 hrs
10	AHQ/24/PUB/E/1020	Annual contract (Rate Approval) for Vehicle Batteries to SLAF - Year 2025	20 November 2024 at 0030 hrs	31 July 2025 Rs. 100,000.00	27 November 2024	2,000.00	28 November 2024 at 1030 hrs
11	AHQ/24/PUB/ST/1003	Purchase of Stationery Items to be Used for the Sri Lanka Air Force on Annual Contact basis for the Year 2025	20 November 2024 at 1000 hrs	31 July 2025 Rs. 150,000.00	27 November 2024	3,500.00	28 November 2024 at 1030 hrs
12	AHQ/24/PUB/MT/1004	Engine Overhaul of SLAF MT Vehicles through Annual Contract basis for the Year 2025	21 November 2024 at 0900 hrs	31 July 2025 Rs. 150,000.00	28 November 2024	3,500.00	29 November 2024 at 1030 hrs
13	AHQ/24/PUB/MED/1007	Annual Contract to Purchase Surgical Items required for Orthopedic Surgeries for Year -2025	21 November 2024 at 0030 hrs	31 July 2025 Rs. 150,000.00	28 November 2024	2,000.00	29 November 2024 at 1030 hrs
14	AHQ/24/PUB/MED/1002	Annual Contract to Perform CT & Coronary Angiogram for SLAF Hospitals and Medical Centres for the Year 2025	21 November 2024 at 1000 hrs	31 July 2025 Rs. 100,000.00	28 November 2024	2,000.00	29 November 2024 at 1030 hrs
15	AHQ/24/PUB/MED/1005	Annual Contract to obtain Medical Items for SLAF Hospitals and Medical Centres for the Year 2025	22 November 2024 at 0900 hrs	31 July 2025 Rs. 150,000.00	02 December 2024	6,000.00	03 December 2024 at 1030 hrs
16	AHQ/24/PUB/MED/1004	Annual Contract to Purchase Laboratory Rems through Annual Contract for SLAF Hospitals and Medical Centres for the Year 2025	22 November 2024 at 0030 hrs	31 July 2025 Rs. 150,000.00	62 December 2624	6,000.00	03 December 2024 at 1030 hrs
17	AHQ/24/PUB/MED/1003	Annual Contract for the Hiring Medical Instruments Required to perform Orthopaedic Surgeries at SLAFHospital Colombo for Year 2025	22 November 2024 at 1000 hrs	31 July 2025 Rs. 150,000.00	02 December 2024	2,000.00	03 December 2024 at 1030 hrs
18	AHQ/24/PUB/MED/1001	Annual Contract to obtain Spectacle Lenses for year 2025	25 November 2024 at 0900 hrs	31 July 2025 Rs. 150,000.00	03 December 2024	2,000.00	04 December 2024 at 1030 hrs
19	AHQ/24/PUB/BRK/1002	Rate Approval for Curtain Material Accessories and Vertical Blinds for SLAF Requirement Year 2025	25 November 2024 at 0030 hrs	31 July 2025 Rs. 150,000.00	03 December 2024	12,500.00	04 December 2024 at 1030 hrs
20	AHQ/24/PUB/BRK/1001	Annual Contract to rate Approval of Floor Carpets (Loop Pile/ Cut Pile) & Accessories for Year 2025	25 November 2024 at 1000 hrs	31 July 2025 Rs. 150,000.00	03 December 2024	12,500.00	04 December 2024 at 1030 hrs
21	AHQ/24/PUB/M8E/1011	Annual Contract for the Supply of Welding Electrodes to the Sri Lanka Air Force for Year 2025	26 November 2024 at 0900 hrs	31 July 2025 Rs. 100,000.00	03 December 2024	2,000.00	04 December 2024 at 1030 hrs
22	AHQ/24/PUB/M8E/1004	Annual Contract for the Supply of Electrical Items (Cable Lugs, Lamp Holders, Cable Connecting Accessories and Capacitors) to the Sri Lanka Air Force 2025	26 November 2024 at 0930 hrs	31 July 2025 Rs. 100,000.00	04 December 2024	2,000.00	05 December 2024 at 1030 hrs
23	AHQ/24/PUB/M&E/1005	Annual Contract for the Supply of Ceiling and Exhaust Fars to the Sri Lanka Air Force for the Year 2025	26 November 2024 at 1000 hrs	31 July 2025 Rs. 100,000.00	04 December 2024	2,000.00	05 December 2024 at 1030 hrs
24	AHQ/24/PUB/MED/1006	Annual Contract to Obtain Medical Investigations Facility form Private Sector Hospitals to SLAF for Year 2025	27 November 2024 at 0030 hrs	31 July 2025 Rs. 150,000.00	05 December 2024	6,000.00	06 December 2024 at 1030 hrs

- Bids will be invited under National Competitive Bidding (NCB) method.
- 3. The complete set of Bidding Documents in English language could be inspected by the interested bidders from the www.alrforco.lk, the website of the Sri Lanka Air Force or could inspect free of charge from 04th November 2024 until the last date of issuing of Bidding Documents (Between 0900 hrs to 1500 hrs) by forwarding written requests to the address mentioned at Para 8 below. The Bidding Documents can be purchased from the Tender Section of the Procurement Division, between 0900 hrs to 1500 hrs on every working day with effect from 04th November 2024 after paying the Non-refundable fee indicated against procurement mentioned at para 1 above, to the Shroff at LL2 Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayowardenepura. The last date of issuing of the Bidding Documents is tabulated in para 01 above. The original receipt obtained from the shroff at Sri Lanka Air Force for the payment of Non-refundable fee is to be attached to the bid. A bid without the receipt for the payment of the Non-refundable fee will be considered as an invalid bid.
- 4. The sealed bids in duplicate, shall be addressed to "The Chairman, Departmental Procurement Committee, Sri Lanka Air Force" and may be either dispatched by registered post or deposited in the Tender Box at the Main Guard Room (Western Gate) of Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura well before the closing time. Electronic bidding will not be permitted. Late bids will not be accepted. Bids will be opened at the Bid Opening Room, LLZ Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura, soon after closing the bids.
- Bidders or their authorized representatives will be permitted to be present at the opening of the bids, upon presentation of their National Identity Card and letters of authorization from their employees. No bidder or his representative will be permitted to attend the bid opening after the bid closing time.
- Bidders who are interested for the above tenders may participate for the pre-bid meetings scheduled to be held on specific dates tabulated at para 01, at the Bid Opening Room, LL2 Floor, Sri Lanka Air Force Headquarters, P.O Box 594, Defence Headquarters Complex, Sri Jayewardenepura.
- 7. All prospective bidders shall submit a bid security either by an irrevocable and unconditional Bid Bond en-cashable upon the first written demand for the value and the period mentioned in above para 1. Bid Security should be issued by a commercial bank operating in Sri Lanka approved by the central bank of Sri Lanka, with a counter guarantee and it should be addressed to the "Commander of the Alf Force". A sample copy of a bid security guarantee appeared in the Government Procurement Guideline 2006.
- Interested eligible bidders may obtain further information from the Chief Procurement Officer (Tel. 011-2347694) or Staff Officer Procurement (Tenders) (Tel. 011-2495495, 077-2229073, 076-6723955 Extension 12915 Fax: 011-2441553) or by forwarding written requests to the address mentioned below;

Procurement Division Sri Lanka Air Force Headquarters P.O Box 594 Defence Headquarters Complex Sri Jayowardenepura Kotte